

## Kongsberg Bits and Blades Catalog

Top quality tools for top quality results



Buy your Kongsberg bits & blades orders

orders@gmspacific.com

In this brochure you will find more than 100 different knife blades, more than 100 different router bits, and a whole range of other accessories like plotting pens and refills, crease wheels, crease blades and milling accessories.

Below you can see an example of a bit identifying code and how it describes the characteristics of the specific milling bit.

Bit	Acrylic	Up cut	Single flute	Shank diameter	Tip diameter	Flute length	Total length				
	BIT-AUS06-2006-50										

# Kongsberg bits and blades

1001	to blade cross reference	. 2
Knif	e Blades	. 3
	SR6xxx (single edge round 6 mm) oscillating blades	. 4
	8 mm shaft blades	. 6
	SFxxx (single edge flat) blades	. 8
	SR6xxx/DR6 (single/double edge round 6mm) static cutting blades	12
	KC1xx (kiss cut) blades	14
	Special purpose heavy-duty flat blades	16
	DFxxx (double-edge flat) and RCxxx (rota cut) blades	20
	SR6xxx (single edge round 6 mm) foam blades	22
	SR6xxx (single edge round 6 mm) serrated blades	24
	SFxxx (single edge flat) foam blades	26
	SFxxx (single edge flat) serrated blades	28
	SFxxx (single edge flat) standard blades	30
Milli	ng Bits	32
	6 mm multi purpose milling bits (up cut)	33
	6 mm multi purpose milling bits (down cut)	37
	6 and 8 mm super sharp milling bits (up cut)	39
	6 mm super sharp milling bits (down cut).	41
	6 mm soft metal single flute bits (up cut)	43
	6 mm soft metal single flute bits (down cut)	45
	6 mm wood double flute bits (up cut)	49
	6 mm wood double flute bits (down cut).	50
	3 mm multi purpose milling bits	51
	3 mm super sharp milling bits	53
	6 mm special purpose milling bits	55
Acce	essories	58
	Milling accessories.	58
	Drawing tools	61
Crea	se Wheels	63
	15 mm crease wheels	63
	26 mm crease wheels	65
	60 mm crease wheels	68
	150 mm crease wheels and crease blades	70

## Kongsberg bits and blades

## Tool to blade cross reference

### **XE tools**

Static knife (depends on adapter)

Page 9, 10, 12, 20, 30

Hi-force knife (depends on adapter)

Page 9, 10, 11, 12, 20

Vibracut (depends on adapter)

Page 9, 10, 11, 12, 30

Psaligraphy knife

Page 14

PressCut

Page 16

Rotacut

Page 20

Varicut

Page 12, 20

### XP/C tools

Rigid material knife

Page 7

CorruSpeed knife

Page 7

Hi-force knife (depends on adapter)

Page 9, 10, 11, 12, 20

Vibrating knife (Depends on adapter)

Page 5, 9, 10, 11, 30

Hi freq Vibrating knife (Depends on adapter)

Page 5 9 10 11 30

PressCut

Page 16

Rotacut

Page 20

V-notch (HDU Insert)

Page 18

Crease blade adapter

Page 20

### XL/XN/V/X tools

Static knife (Depends on adapter)

Page 9, 10, 30

Static knife Double edge

Page 12, 20

Rigid material knife

Page 7

CorruSpeed knife

Page 7

Vibrating knife (depends on Adapter)

Page 5, 9, 10, 30

Multi purpose Hi freq knife

Page 5, 9, 10, 11, 30

Long stroke knife

Page 5

Rotacut

Page 20

KissCut knife

Page 16

Microcut tool

Bevel knife

Page 11

V-notch knife

Page 18

V-notch (Powerhead insert)

Page 18

RB90 knife

Page 18

Crease blade adapter

Page 20



## SR6xxx (single edge round 6 mm) oscillating blades

SR6xxx (single edge round 6 mm) blades for cutting with oscillating knife tool.




Our various oscillating tools come with different characteristics for optimized performance on a wide range of hard-to-cut materials. Stroke length ranges from 0,3 mm to 8 mm and frequency ranges from 4000 to 12000 strokes pr minute.

The knife blades shown in this section are designed to match the tooling properties, enabling high speed and precision cutting across a wide range of materials.


These are long-lasting tungsten carbide blades for maximum performance.







foam signage



VD	XL XN X		Tool insert	Adapter	Blade part no.	Blade name	Description	Max cutting	Picture		
XP C	V	XE			Blades optimized for cutting different grades of corrugated						
			Recip./MP HF knife tool	34053207							
			Long stroke knife tool	34073080	42437293	BLD-	Long life tungsten carbide blade. Works well with most types of	12mm 1/2"			
			VibraCut/HI Frequence VibraCut knife tool	34046425	12 107 233	SR6223	corrugated board	XE*			
			Recip./MP HF knife tool	34053207							
			Long stroke knife tool	34073080	42438135	BLD-	RIII)-	Long life tungsten carbide blade. Preferable choice for corrugated	12mm 1/2"		
			VibraCut/HI Frequence VibraCut knife tool	34046425	12 130 133	SR6224	board with high recycle content.	XE*			
			Recip./MP HF knife tool	34053207			Excellent blade for cutting tough				
			Long stroke knife tool	34073080	42460964	BLD-	gasket materials, even mesh	8mm 5/16"			
			VibraCut/HI Frequence VibraCut knife tool	34046425	42400964	SR6242	armed graphite. For oscillate cutting with the High frequency knife tools	XE*			

## Blades optimized for cutting different heavy duty paper-based and other sandwich materials.

Recip./MP HF knife tool  Long stroke knife tool  VibraCut/HI Frequence  VibraCut knife tool	34053207 34073080 34046425	42441626	BLD- SR6310	Provides good results on thick and rigid paper-based materials, such as triple wall corrugated and Re-board, when used with the Multi Purpose High-Frequency Knife Tool.	20mm 3/4"	TOP SELLER
Recip./MP HF knife tool	34053207			Offers less over-cut than the		
Long stroke knife tool	34073080	42441634	BLD-	SR6310 but is more slender and may deliver a less accurate cut	20mm	
VibraCut/HI Frequence VibraCut knife tool	34046425	72771034	SR6307	on curves when cutting heavy board grades	3/4"	

### Blades optimized for cutting foam board, other sandwich materials and rubber.

Recip./MP HF knife too	34053207 34073080		BLD-	Good blade for 15 and 20mm	20mm	
VibraCut/HI Frequence VibraCut knife tool		42441642	SR6303	foam board in combination with the MP Hi Frequency tool.	3/4"	
Recip./MP HF knife too	34053207					
Long stroke knife tool	34073080	42447227	BLD-	Good blade for cutting die ejection rubber in combination	20mm	
VibraCut/HI Frequence VibraCut knife tool	34046425	12117227	SR6375	with the Long Stroke knife tool	3/4"	

### Blade optimized for cutting soft sandwich materials.

Recip./MP HF knife tool  Long stroke knife tool  VibraCut/HI Frequency  VibraCut knife tool	34053207 34073080 34046425	42449504	BLD- SR6315	A more slender tungsten carbide blade producing less overcut. Good blade for cutting materials like soft foam board.	14mm 9/16" XE*	
Recip./MP HF knife tool  Long stroke knife tool  VibraCut/HI Frequency  VibraCut knife tool	34053207 34073080 34046425	42459743	BLD- SR6316	Similar to the SR6315 but even thinner blade optimiced for finer details. Blade thickness 0,35mm.	14mm 9/16" XE*	
Recip./MP HF knife tool  Long stroke knife tool  VibraCut/HI Frequency  VibraCut knife tool	34053207 34073080 34046425	42460410	BLD- SR6317	Similar to the SR6315-SR6316 but even thinner blade optimiced for the finest details. Blade thickness 0,25mm	14mm 9/16" XE*	

### 8 mm shaft blades



This blade design gives the tool excellent performance when cutting rigid materials such as display carton, rigid plastics, foamed PVC (Forex / Sintra), and several gasket materials. These are long-lasting tungsten carbide blades for maximum performance.

Our range of 8mm round shaft blades are superior for cutting many different rigid materials and corrugated board with the RM (Rigid Material) knife tools and CorruSpeed both for the Kongsberg XN/XL/V/X and the XP/C platforms.


- The 8mm round stock blades come in three different shapes.
- The DR (double round) has a double edge and centered tip.
- The DR-A blades have an asymmetric, double edge. The purpose is to reduce burrs on one side of the cut, i.e. line direction control is required.
- The SR (single round) has a single edge.







corrugated plastic



d	
c	
d	
2	
t	
G	
C	
	4
h	4
ŭ	
Q	
_	
U	
h	
č	
(	
CY	
_	1
~	
>	
5	
◁	
<	
-	

XL XN XP V C X	Adapter	Blade part number	Blade name	Description	Max cutting	Picture
				These blades	have a	centered tip. 0 lag.
	N/A	42447235	BLD-DR8160	Good blade for cutting rigid materials such as different gasket materials, Forex and solid carton board. 0 lag blade	6mm 1/4"	TOP SELLER
	N/A	42447284	BLD-DR8180	Similar to DR8160. The blunter angle reduces the risk for breaking the blade in tough materials, but produces more overcut with thicker materials. 0 lag blade	5mm 3/16"	
	N/A	42460394	BLD-SR8170	Long life tungsten carbide blade for thinner flexible materials such as folding carton, polyester film, leather, vinyl, paper. 30' cutting edge	6,5mm 1/4"	
	N/A	42460402	BLD-SR8172	Long life tungsten carbide blade for thinner flexible materials such as folding carton, polyester film, leather, vinyl, paper. 40' cutting edge	4,5mm 3/16"	
	N/A	42470153	BLD-SR8174	Long life tungsten carbide blade for corrugated board, folding carton. 30' cutting edge. Modified tip for longer life time, gives marginally more over cut.	4,5mm 3/16"	NEW
			1	These blades are asymmetrically grinded	d with a	centered tip. 0 lag.
	N/A	42462002	BLD-DR8261A	Special tungsten carbide knife blade with an asymmetric edge, optimised for a nice cut ploughing all the burrs to one side. Requires that you can control the cutting direction. Good blade for cutting different plastic materials. Blade tip arrow grinding: 0,4-1,5	6,5mm 1/4"	
	N/A	42461996	BLD-DR8260A	Special tungsten carbide knife blade with an asymmetric edge, optimised for a nice cut ploughing all the burrs to one side. Requires that you can control the cutting direction. Good blade for cutting different plastic materials. Blade tip arrow grinding: 0,5-1,0	6,5mm 1/4"	
	N/A	42452227	BLD-DR8280A	Special tungsten carbide knife blade with an asymmetric edge, optimized for a nice cut pushing all the burrs to one side. Requires that you can control the cutting direction.  Good blade for cutting different plastic materials. 0 lag blade	5mm 3/16"	
	N/A	42452235	BLD-DR8210A	Special tungsten carbide knife blade with an asymmetric edge, optimised for a nice cut pushing all the burrs to one side. Requires that you can control the cutting direction.  Good blade for cutting different plastic materials. 0 lag blade	4mm 5/32"	
	N/A	42460956	BLD-SR8171A	Tungsten carbide blade for thinner flexible or rigid materials such as solid carton, vinyl, plastics. 30* cutting angle. Asymmetric knife blade that ploughs all burrs and waste to one side.	6,5mm 1/4"	
	N/A	42460949	BLD-SR8173A	Tungsten carbide blade for thinner flexible or rigid materials such as solid carton, vinyl, plastics. 40* cutting angle. Asymmetric knife blade that ploughs all burrs and waste to one side.	4mm 5/32"	
				These b	lades v	vork with 4 mm lag.
	N/A	42450494	BLD-SR8124	Good blade for cutting different plastic corrugated materials. Nominal lag value is 4mm	10mm 3/8"	
	N/A	42455899	BLD-SR8140	Good blade for cutting different foam core materials. Nominal lag value is 4mm	7mm 9/32"	/
	N/A	34094458	BLD-SR8160	Good blade for cutting rigid substrates such as different gasket materials, Forex and solid carton board. Nominal lag value is 4mm	13mm 1/2"	
	N/A	34094466	BLD-SR8180	Similar to SR8160. The blunter angle reduces the risk for breaking the blade in tough materials, but gives more overcut with thicker materials. Nominal lag value is 4mm	8mm 5/16"	
	N/A	34104398	BLD-SR8184	For cutting thin paper and folding carton. Works well on very "fragile" and "porous" materials such as beer coasters with a lot of recycled content. Long life tungsten carbide. Nominal lag value is 4mm	4,5mm 3/16"	

## SFxxx (single edge flat) blades

SFxxx (single edge flat) blades for general purpose cutting.





thin carton tabletop display




gaskets



flexo plates



solid board box



	XL								
	XN				Blade	Blade		Max	
XP C	٧		Tool insert	Adapter	part no.	name	Description	cutting	Picture
С	Χ	XE	Toormsert	Adaptei	part no.	Harrie	Description	cutting	ricture

## Blades optimized for cutting different grades of thinner materials like folding carton, paper and vinyl.

	-		_			_		
Λ	MP HF knife tool	34050401						
	Static knife single edge	34044172						
V	/ibracut/HF VibraCut	34050880	42441212	BLD- SF216 ( <i>i-</i> 216)	Single-edge blade for soft flexible materials. Used to through-cut paper, vinyl, etc	2-3mm	/	TOP SELLER
н	i-force knife tool	34057380						
Š	Static knife tool	34048785						
N	MP HF knife tool	34050401						
	Static knife single edge	34044172						
V	/ibracut/HF VibraCut	34050880	42441220	BLD- SF217 ( <i>i</i> -217)	Single-edge blade for soft flexible materials.  Used to through-cut paper, vinyl, etc. The more pointed edge reduces overcuts	2-3mm		TOP SELLER
н	i-force knife tool	34057380		` ′	, ,			
5	Static knife tool	34048785						
	eciprocating knife tool	34001925	42423012	BLD- SF238	For folding carton and other high-precision applications with long lifetime requirement. Tungsten carbide steel with precision ground			
St	atic knife FC	34002709	42423012		and polished edge, which handles softer, abrasive materials very well.			
	eciprocating knife tool	34001925	42423020	BLD-	For folding carton and other high-precision applications with long lifetime requirement Tungsten carbide steel with precision ground			
St	atic knife FC	34002709	42423020	SF224	and polished edge. The top part of the tip is grounded off, to prevent snapping.			
	Static knife single edge	34044172						
V	/ibracut/HF VibraCut	34050880	42458364	BLD- SF230	Mat cutting, frame cutting, passpartout and more. This is a single edge design.	2mm 5/64"		
	Static knife ool VariCut knife	34048785		( <i>i</i> -230)				
	Static knife single edge	34044172						
V	/ibracut/HF VibraCut	34050880	42458372	BLD- SF231	Mat cutting, frame cutting, passpartout w/ small radius and more. This is a single edge	2mm 5/64"	Letter 1	
	Static knife ool VariCut knife	34048705		( <i>i-</i> 231)	design with a flat tip.			

	XL								
	XN				Blade	Blade		Max	
XP	٧		Tool insert	Adapter			Description		Picture
С	Х	XE	Toorinsert	Auaptei	part no.	name	Description	cutting	Ficture

### Blades optimized for cutting different grades of thinner materials like folding carton, paper and vinyl.

	Static knife single edge	34044172					
	Vibracut/HF VibraCut	34050880	42458380	BLD- SF233	Mat cutting, frame cutting, passpartout w/ small radius and more. This is a asymmetric	5mm19"	
	Static knife tool VariCut knife	34048785		( <i>i</i> -233)	single edge design with a flat tip.		

### Blades optimized for cutting corrugated board with high recycled content; can also perform well in foam board.

Reciprocating knife tool	34001925	42416644	DI D	For corrugated board up to and including TW.  Precision ground edge. Made of high speed	46	
Static knife TW	34012575	42416644	BLD- SF125	steel, which will last longer than conventional steel. Used by customers who need to cut corrugated with high recycle content, or those wanting longer blade lifetime	16mm 5/8"	

#### Blades for cutting rubber and similar materials

				Blades for cutting rul	ober ar	no similar materiais
MP HF knife tool	34044107					
Vibracut/HF VibraCut	34047241	42421974	BLD- SF420 ( <i>i</i> -420)	Tungsten carbide steel, precision ground edge. For high performance and long lifetime in rubber materials	10mm 3/8"	
Hi-force knife tool	34046557					
MP HF knife tool	34044107					
Vibracut/HF VibraCut	34047241	42458257	BLD- SF421 ( <i>i-</i> 421)	Corrugated stock, foam board and more. for oscillate knife with a 5'/25' cut angle, a single edge design	10mm 3/8"	
Hi-force knife tool	34046557			g g		
MP HF knife tool	34044107			Corrugated stock, foam board and more. for oscillate knife with a 10'/25' cut angle, a single edge design		
Vibracut/HF VibraCut	34047241	42458265	BLD- SF422 ( <i>i</i> -422)		10mm 3/8"	
Hi-force knife tool	34046557					
MP HF knife tool	34050401	42458273	BLD- SF425 ( <i>i</i> -425)	Card stock, rubber and more. This is an oscillate knife with a 10'/25' cut angle, a single edge design, flat tip	6mm ¼"	
MP HF knife tool	34050401	42458281	BLD- SF426 ( <i>i</i> -426)	Card stock, rubber and more. This is an oscillate knife with a 10'/25' cut angle, a single edge design, flat tip	6mm ¼"	
MP HF knife tool	34044107					
Vibracut/HF VibraCut	34047241	42458299	BLD- SF427 ( <i>i</i> -427)	cutting textiles, fabrics, fibrous tissues. This is an oscillate knife with a 10'/25' cut angle, a single edge design, flat tip.	10mm 3/8"	
Hi-force knife tool	34046557		(1-427)	single euge uesign, nacup.		

VI							
XL XN XP V C X XE	Tool insert	Adapter	Blade part no.	Blade name	Description	Max cutting	Picture
					Blades for cutting rul	ober aı	nd similar materials
	MP HF knife tool	34044107	42458307	BLD- SF428 ( <i>i-</i> 428)	Corr ugated stock, foam board. This is an oscillate knife with a 4'/45' cut angle, a single edge design, flat tip.	23mm .90"	
	MP HF knife tool	34044107	42458315	BLD- SF429 ( <i>i-</i> 429)	Soft Materials, foam board and more. This is an oscillate knife with a 3.5'/45' cut angle, a single edge design.	29mm 1.10"	
				Bla	des for cutting in 45 degrees angl	e with	the Bevel knife tool
	Bevel knife	24060204	42443978	BLD- SF212	A special tungsten carbide knife blade design that has been developed for optimal performance in flexo plate materials	7mm 9/32"	
	tool	34060384	42455287	BLD- SF245	A special tungsten carbide knife blade for cutting V-notch folding lines in solid board carton	6mm 1/4"	/
			Blade	es for s	tatic cutting of gaskets and other	highly	abrasive materials.
			42423855	BLD- SF310	Specially designed blades for gasket cutting, but may be useful for other applications such as corrugated samplemaking.	10mm 3/8"	
	Static knife gasket	34031021	42423871	BLD- SF320	Specially designed TC blades for gasket cutting, but may be useful for other applications such as corrugated samplemaking.	10mm 3/8"	
	gasket		42423863	BLD- SF311	The blade is well suited for cutting highly abrasive materials that are not very hard	7mm 9/32"	
			42423889	BLD- SF321	The blade is well suited for cutting highly abrasive materials that are not very hard	7mm 9/32"	
			Blade	es optin	nized for cutting gasket materials	with t	he MP HF knife tool
	MP HF knife tool	34073056	42447961	BLD-	For Gasket, Highly abrasive materials, not really hard TC. CPM10V Extreme Wear Tool	7mm	
	HF VibraCut	34089995	42447301	SF312	Steel (EWTS) is 25x tougher than X-Acto and more flexibel than TC. Angle 30 degrees	9/32"	
	MP HF knife tool	34073056	42447979	BLD-	For Gasket, Highly abrasive materials, not really hard TC. CPM10V Extreme Wear Tool	7mm	
	HF VibraCut	34089995	72777373	SF313	Steel (EWTS) is 25x tougher than X-Acto and more flexibel than TC. Angle 45 degrees	9/32"	
					Blades for cutting f	oam c	ore board materials
	Static knife double edge	34044206	42458398	BLD- SF246 ( <i>i-</i> 246)	Foam core board blade for double- edge insert	10mm 3/8"	
	Static knife double edge	34044206	42458406	BLD- SF346 ( <i>i</i> -346)	Soft and rigid foam blade for double- edge insert with 45' edge.	10mm 3/8"	

## SR6xxx/DR6 (single/double edge round 6mm) static cutting blades



SR6xxx / DR6 (single/double edge round 6 mm) blades for static cutting with the Hi-Force knife tool, Static knife tool and Psaligraphy knife tool. These are long lasting tungsten carbide blades for maximum performance.

The 6mm round stock blades come in three different shapes, all with a centered tip.

- The SR (single round) has a single edge.
- The DR (double round) has a double edge and centered tip.
- The DR-A blades have an asymmetric double edge. The purpose is to reduce burrs on one side of the cut (i.e., line direction control is required).





folding carton package

thin plastic cards



* This new tool can take all the k	knife blades in this category.
------------------------------------	--------------------------------

	XL								
	XN				Blade part	Blade		Max	
ΧP			Tool insert	Adaptor			Description		Picture
С		XE	TOOTHISELL	Adapter	number	name	Description	cutting	ricture

## Blades optimized for cutting different thinner flexible materials

Hi-Force Knife tool	34068759					
VariCut Knife tool	24064425			Long life tungsten carbide blade for	F	10
Static Knife tool	34061135	42445494	BLD- SR6150	thinner flexible materials such as folding carton, polyester film, leather,	5mm 3/16"	TOP SELLER
Psaligraphy Knife tool*	N/A			vinyl, paper. 30* cutting angle.		## No. 10 10 10 10 10 10 10 10 10 10 10 10 10
Hi-Force Knife tool	34068759					
VariCut Knife tool	34061135					
Static Knife tool	34001135		BLD-	Long life tungsten carbide blade for thinner flexible materials such as	5mm	
Psaligraphy Knife tool*	N/A	42445502	SR6152	folding carton, polyester film, leather, vinyl, paper. 40* cutting angle.	3/16"	
Static Knife tool	34061135					
VariCut Knife tool	34061135					
Hi-Force Knife tool	34068759			Long life tungsten carbide blade for		
Psaligraphy Knife tool*	N/A	42461251	BLD- SR6151	thinner flexible materials such as folding carton, polyester film, leather, vinyl, paper. 22* cutting angle	5mm 3/16"	

### Blades optimized for cutting different thinner flexible or rigid materials

Hi-Force Knife tool	34068759			Tungsten carbide blade for thinner		7
Static Knife tool	34061135 N/A	42445510	BLD- DR6160	flexible or rigid materials such as solid carton, vinyl, plastics. 2x30* cutting angle. Spear-headed shape.	5mm 3/16"	
Psaligraphy Knife tool*						<del>2</del>
Hi-Force Knife tool	34068759		BLD- DR6161		3mm 1/8"	
VariCut Knife tool	34061135			Tungsten carbide blade for thinner		
Static Knife tool	34001133	42445528		flexible or rigid materials such as solid carton, vinyl, plastics. 2x40* cutting		
Psaligraphy Knife tool*	N/A			angle. Spear-headed shape.		

### Asymmetric knife blade that pushes all burrs and waste to one side for thinner flexible or rigid materials

Hi-Force Knife tool  VariCut Knife tool	34068759 34061135	42449058	BLD-	Tungsten carbide blade for thinner flexible or rigid materials such as solid carton, vinyl, plastics. 2x40*	3mm	
Static Knife tool Psaligraphy Knife	N/A	42449036	DR6169A	cutting angle. Spear-headed shape. Asymmetric knife blade that pushes all burrs and waste to one side.	1/8"	
tool* Hi-Force Knife tool	34068759			Tungsten carbide blade for thinner		
VariCut Knife tool	0.4054.405			flexible or rigid materials such as		-
Static Knife tool	34061135	42458828	BLD- SR6159A	solid carton, vinyl, plastics. 40* cutting angle. Asymmetric knife blade that	3mm 1/8"	
Psaligraphy Knife tool*	N/A			ploughs all burrs's and waste to one side.		

## KC1xx (kiss cut) blades




KC1xx (kiss cut) blades for cutting various thin materials like adhesive foils, paper etc. The blades are kept in the tool body with a friction lock.





adhesive vinyl decals

reflective vinyl roll



	XL								
	XN				Blade			Max	
(P	٧		Tool insert/unit	Adapter	part no.	Blade name	Description	cutting	Picture
C	Х	XE	TOOI IIISEI L/UITIL	Adaptei	part no.	blade flaffle	Description	cutting	ricture

## Blades optimized for kiss cutting various thinner flexible materials

			•			
PressCut tool	N/A	42438499	BLD-KC101	General purpose kiss-cutting blade for standard thickness adhesive foils. Its	1mm	TOP SEL
Kiss Cut knife tool			( <i>i</i> -101)	properties allow secure separation of foil and adhesive, to facilitate weeding	1/25"	in the second se
PressCut tool	N/A	42438507	BLD-KC102	Sharper-edged blade for thicker, tougher	1mm	
Kiss Cut knife tool	IVA	42436307	( <i>i</i> -102)	adhesive foils, such as reflex foil	1/25"	
PressCut tool	N/A	42458323	BLD-KC103	Masking Film. This is a vinyl knife with a	1mm	
Kiss Cut knife tool	1777	.2 130323	( <i>i</i> -103)	40'/35' cut angle, a double edge design.	1/25"	
PressCut tool	N/A	42447532	BLD-KC104	A sharper general purpose kiss-cutting blade for fine details in adhesive foils, Its	1mm	- Pro-
Kiss Cut knife tool	1777	12117332	( <i>i</i> -104)	properties allow secure separation of foil and adhesive, to facilitate weeding	1/25"	
PressCut tool	N/A	42458331	BLD-KC105	Rubber, Cardboard, diamond grade and more. This is a vinyl Knife, with a 20'/55'	1mm	
Kiss Cut knife tool	IV/A	42436331	( <i>i</i> -105)	cut angle, a single edge design.and adhesive, to facilitate weeding	1/25"	
PressCut tool	N/A	42458349	BLD-KC154	Thicker vinyl, diamond grade, carton, polyester fabric and more. This is a vinyl knife with a 30'/30' cut angle, a single	1mm	
Kiss Cut knife tool	IV/A	42430343	( <i>i</i> -154)	edge, long design and adhesive, to facilitate weeding	1/25"	




## Special purpose heavy-duty flat blades




Special purpose heavy-duty flat blades, TZ1xx, TZ5xx, (Trapezoid), DF5, (double flat), SF29x (single flat)







Re-board display



	XL							
XF				Blade	Blade		Max	D' .
C	Х	Tool insert	Adapter	part no.	name	Description	cutting	Picture

## Tungsten carbide blades optimized for long-life V-notch cutting tough paper-based materials like Re-board, triple wall corrugated, etc

١	PowerHead HD tool unit	V-Notch tool holder	42448589	BLD- TZ511	Very good blade for V-notch cutting through materials such as Re-board, X-board and triple wall corrugated. Cuts materials up to about 17mm. Made from a special tungsten carbide alloy, to extend cutting cycles. Thickness 0.6mm024"	17mm 43/64"	
	PowerHead	V-Notch tool		BLD-	Very good blade for V-notch and straight cutting with the HD-knife tool through materials such as Re-board, X-board and triple wall corrugated.	17mm	
	HD tool unit	holder / HD knife tool 17	42448597	TZ512	Cuts materials up to about 17mm. Made from a special tungsten carbide alloy, to extend lifetime. Thickness 0,9mm,035"	43/64"	0/10

### Standard blades for cutting tough paper-based materials like Re-board, triple wall corrugated, etc.

PowerHead HD tool unit	V-Notch tool holder	42435636	BLD- TZ129	Super-trapezoid, deep-edged blade, used with the V-notch knife and the HD-knife tool. This blade is thicker and stiffer than standard trapezoid blades and will give a more accurate cut. Thickness 0.9mm035"	17mm 43/64"	
PowerHead	V-Notch tool			Super-trapezoid, deep-edged blade, used with the V-notch knife and the HD-knife tool.		
HD tool unit	holder / HD knife tool 17	42424374	BLD- TZ192	This blade is thinner than the TZ129 blade and will give very good result in fluted core board.  Thickness  0.6mm024"	17mm 43/64"	

## Tungsten carbide blades optimized for long-life high-speed straight cutting tough paper-based materials like Re-board, triple wall corrugated, etc

	PowerHead	HD knife tool		BLD-	Special trapezoid blade for the HD30 knife tool, designed for Re-board and similar material in	30mm	
	HD tool unit	30	34061218	TZ230	thickness up to and including 30mm -1.18".  Tungsten carbide steel material with precision ground edge	13/16"	

## Tungsten carbide blades optimized for long-life V-notch cutting tough paper-based materials like Reboard, triple wall corrugated, etc., for use in the VI45 tool insert.

XL XN V X	All insert positions on XN / XL / V tool heads	VI45-16 and VI30-16 V-Notch tool insert	42455279	BLD- DF570	Specially made arrow-shaped blade for the Vlxx-16 V-notch insert tools. Works well in materials such as fluted core boards and triple wall corrugated. Made from a special Tungsten Carbide alloy, to extend lifetime. Thickness 0.9mm035"	16mm 5/8"	
XL XN V X	All insert positions on XN / XL / V tool heads	VI45-16 and VI30-16 V-Notch tool insert	42460766	BLD- DF571	Specially made arrow shaped, blade for the Vlxx-16 V-notch insert tools. Works well in materials such as fluted core boards and triple wall corrugated.  Made from a special Tungsten Carbide alloy, to extend lifetime. Thickness 0.6mm023".	16mm 5/8"	

XP C	XL XN X	Tool insert	Adapter	Blade part no.	Blade name	Description	Max cutting	Picture
	XL XN V X	All insert positions on XN / XL / V tool heads	VI45-16 and VI30-16 V-Notch tool insert	34102988	BLD- DF572	Specially made double angle arrow shaped, blade for the Vlxx-16 V-notch insert tools. Have superb performance in materials like Kappa and other foamed core board. Works also well in materials such as fluted core boards and triple wall corrugated. Made from a special Tungsten Carbide alloy, to extend lifetime. Thickness 0.6mm023"	16mm 5/8"	
	XL XN V X	All insert positions on XN / XL / V tool heads	VI45-10 V-Notch tool insert	34111716	BLD- DF561	Specially made arrow shaped, blade for the VI45-10 V-notch insert tool. Works well in materials such as fluted core boards and triple wall corrugated. Made from a special Tungsten Carbide alloy, to extend lifetime.  Thickness 0.6mm023".	12mm 3/8"	
	XL XN V X	All insert positions on XN / XL / V tool heads	VI45-10 V-Notch tool insert	34111708	BLD- DF562	Specially made double angle arrow shaped, blade for the VI45-10 V-notch insert tool. Have superb performance in materials like Kappa and other foamed core board. Works also well in materials such as fluted core boards and triple wall corrugated. Made from a special Tungsten Carbide alloy, to extend lifetime. Thickness 0.6mm023"	12mm 3/8"	

## Tungsten carbide blades optimized for long-life high speed straight cutting tough paper-based materials like Re-board, triple wall corrugated, etc.

XL All insert XN positions on RB90 tool V XN / XL / V insert X tool heads	34094581 BLD SF29	Specially made blade for the RB90-16 insert tool. Works well in materials such as fluted core boards and triple wall corrugated. Made from a special tungsten carbide alloy, to extend lifetime. Thickness 0.9mm035"	16mm 5/8"	
---	----------------------	--	--------------	--

# Buy your Kongsberg bits & blades

orders@gmspacific.com

## DFxxx (double-edge flat) and RCxxx (rota cut) blades



Double-edge flat blades with a centered tip for cutting hard, thinner materials. RC blade for cutting textile materials with the RotaCut tools.


These are long lasting tungsten carbide blades for maximum performance.







contour cut textile display



	XL								
	XN				Blade			Max	
XP			Tool insert	Adapter	part no.	Blade name	Description		Picture
C		XE	Toormsert	Auaptei	part no.	biade riarrie	Description	cutting	ricture

## Double-edge blades with a centered tip. Have grinded edge on both

	Static knife double  Heavy duty Insert for PowerHead / HD unit	34044206 34089904	42441196	BLD-DF212 ( <i>i</i> -312)	General-purpose, double-sided, 80° sword knife blade for flexible materials. Used for through- cutting paper, cardboard, vinyl, thin plastics, styrene, etc	5mm 3/16"	
	Static knife double	34044206	42444204	BLD-DF213	General-purpose, double-sided, 60° sword knife blade for flexible	5mm	
	Heavy duty Insert for PowerHead / HD unit	34089904	42441204	( <i>i-</i> 313)	materials. Used for through- cutting paper, cardboard, vinyl, thin plastics, styrene, etc.	3/16"	

### Half-length double-edge blades with a centered tip.

Hi-Force knife tool	34057356	42444299	BLD-DF112 ( <i>i</i> -308) BLD-DF113 ( <i>i</i> -309)	General-purpose, double-sided, 80° sword knife blade for flexible		
Static knife tool	34053686			materials. Used for through- cutting paper, cardboard, vinyl, thin plastics, styrene, etc	5mm 3/16"	
VariCut tool	34033000					
Hi-Force knife tool	34057356	42443036		General-purpose, double-sided,		
Static knife tool	34053686			60° sword knife blade for flexible materials. Used for through- cutting paper, cardboard, vinyl, thin plastics, styrene, etc.	5mm 3/16"	
VariCut tool	34033000					

### Ten-facetted rotating knife blade for cutting textiles

	RotaCut tool for XL/ XN/X	N/A blade	42444044	DLD DC110	RC10 Decagonal knife blade with a 25mm diameter. For use on	1,5mm	
	RotaCut tool for XE/ XP/C	fits directly in tool	42444844	BLD-RC110	textile materials with the RotaCut tool	1/16"	

## SR6xxx (single edge round 6 mm) foam blades

These are long lasting tungsten carbide blades for maximum performance.



Foam cutting performance determined by matching knife blade design and tool properties such as oscillation frequency and stroke length. With XN and XL tables, the foam tooling requires high (95 mm) traverse clearance.


The pointed blades often provide the best detail accuracy. With the pointed blades it is possible to increase cutting speed by using the 5,5 mm felt cutting underlay.







protective packaging



XP	XL XtN	Tool insert	Adapter	Blade	Blade name	Description	Max	Dietura
C	Х	Toormsert	Adapter	part no.	Blade flaffle	Description	cutting	Picture

### Blades for cutting different grades of foam materials up to maximum 30 mm -1 1/4" thickness

Foam Knife	34053231			Blade for max. 30mm material thickness. 2.5°		
Foam Head	34057125	42443101	BLD-SR6311	cutting angle enables very fine details with little over-cut in foam qualities with good cutting	32mm 1 1/4"	_
Foam Unit				properties. Pointed tip for use with felt underlays		
Foam Knife	34053231					
Foam Head	34057125		BLD-SR6312	Blade for max. 30mm material thickness. 6° cutting angle enables fine details in a variety of foam materials. Pointed tip for use with felt underlays	32mm 1 1/4"	
Foam Unit						
Foam Knife	34053231			Blade for max. 30mm material thickness. 8° cutting		
Foam Head	34057125	42443085	BLD-SR6313	angle enables fine details in a wider range of foam qualities, as well as 30mm Re-board. Flattened tip helps increase cutting speed and protect PVC	32mm 1 1/4"	TOP SELLER
Foam Unit				cutting underlays		2

### Blades for cutting different grades of foam materials up to maximum 55 mm -2 1/8" thickness

	Foam Head Foam Unit	34057745	42444877	BLD-SR6521	Blade for max. 55mm material thickness. 2.5° cutting angle enables very fine details with little over-cut in foam qualities with good cutting properties. Pointed tip for use with felt underlays	55mm 2 1/8"	=
	Foam Head Foam Unit	34057745	42444885	BLD-SR6522	Blade for max. 55mm material thickness. 3.7° cutting angle enables fine cutting details. Pointed tip for use with felt underlays	55mm 2 1/8"	
	Foam Head Foam Unit	34057745	42444893	BLD-SR6523	Blade for max. 55mm material thickness. 3.7° cutting angle enables fine cutting details. Flattened tip to increase cutting speed and protect PVC cutting underlays	55mm 2 1/8"	

### Blades for cutting different grades of foam materials up to maximum 80 mm -3 1/8" thickness

	Foam Head	34032490	42444919	BLD-SR6831	2.5° cutting angle enables very fine cutting details, minimal overcut and largely eliminates conical holes. Pointed tip for use with felt underlays	80mm 3 1/8"	
	Foam Head	34032490	42444927	BLD-SR6832	1.5° cutting angle enables very fine cutting details, minimal overcut and largely eliminates conical holes. Flattened tip to increase cutting speed and protect PVC cutting underlays	80mm 3 1/8"	

## SR6xxx (single edge round 6 mm) serrated blades

SR6xxx (single edge round 6mm) serrated blades for cutting different qualities and thicknesses of honeycomb and papercore board materials. Also good for some dense foam materials.



Our oscillating foam cutting tools are optimized to work with these knife blades with regards to stroke amplitude and frequency. For the XL and XN, these tools require high (95 mm) traverse clearance. When working with these tools and blades, you can often achieve better productivity with the 5,5 mm felt cutting underlay.

These are long lasting tungsten carbide blades for maximum performance.

Foam cutting performance determined by matching knife blade design and tool properties such as oscillation frequency and stroke length. With XN and XL tables, the foam tooling requires high (95 mm) traverse clearance.

The pointed blades often provide the best detail accuracy. With the pointed blades it is possible to increase cutting speed by using the 5,5 mm felt cutting underlay.







honeycomb signs

Blade	Single Edge	Round	Diameter
	BLD-S	R6351	

XP	XL	Tool insert	Adapter	Blade part no.	Blade name	Description	Max cutting	Picture
С	XN		/ laapee.	parerior	Didde Harrie	2 636.196.611		. retail e

### Blades for cutting different grades of tough paper materials up to maximum 30 mm -1 1/4" thickness

Foam Knife Foam Head Foam Unit	34053231 34057125	42456921	BLD-SR6351	The serrated edge cuts with less friction between blade and material than a smooth edge. Thus, the blade gets less hot. Thickness 1 mm - 1/25", pointed edge for use with felt underlay.	32mm 1 1/4"	
F K. '6.	24052224					
Foam Knife	34053231			The serrated edge cuts with less friction between blade and material than a smooth		
Foam Head	34057125	42456939	BLD-SR6352	edge. Thus, the blade gets less hot. Thickness 1 mm - 1/25", flattened tip to increase cutting	32mm 1 1/4"	
Foam Unit				speed and protect PVC cutting underlays		
Foam Knife	34053231			The serrated cuts with gives less friction		
Foam Head	34057125	42456947	BLD-SR6353	between blade and material than a smooth edge. Thus, the blade gets less hot. Thickness 1,5 mm - ,006", pointed edge for use with felt	32mm 1 1/4"	2222222
Foam Unit				underlay.		
Foam Knife	34053231			The serrated edge cuts with less friction		
Foam Head	34057125	42456954	BLD-SR6354	between blade and material than a smooth edge. Thus, the blade gets less hot. Thickness 1,5 mm - ,006", flattened tip to increase	32mm 1 1/4"	- ALLEGERIANS
Foam Unit	3403/123	5		cutting speed and protect PVC cutting underlays	1 1/4	

### Blades for cutting different grades of paper sandwich materials up to maximum 55 mm -2 1/8" thickness


	Foam Head Foam Unit	34057745	42456962	BLD-SR6551	The serrated edge cuts with less friction between blade and material than a smooth edge. Thus, the blade gets less hot. Thickness 1 mm - 1/25", pointed edge for use with felt underlays.	55mm 2 1/8"	
	Foam Head Foam Unit	34057745	42456970	BLD-SR6552	The serrated edge cuts with less friction between blade and material than a smooth edge. Thus, the blade gets less hot. Thickness 1,5 mm006", pointed tip for use with felt underlays.	55mm 2 1/8"	aaaaaaaaaa
۱	Foam Head Foam Unit	34057745	42456988	BLD-SR6553	The serrated edge cuts with less friction between blade and material than a smooth edge. Thus, the blade gets less hot. Thickness 1 mm - 1/25", flattened tip to increase cutting speed and protect PVC cutting underlays.	55mm 2 1/8"	=

## SFxxx (single edge flat) foam blades

SFxxx (single edge flat) blades for cutting foam material of different grades and thicknesses.

These blades are made of HSS steel, which means it is less expensive and also offers less tendency to snag compared to tungsten carbide.


Our oscillating foam cutting tools are optimized to work with these knife blades with regards to stroke amplitude and frequency. For the XL and XN, these tools require high (95mm) traverse clearance. When working with these tools and blades, you can often achieve better productivity with the 5,5mm felt cutting underlay.







protective packaging



7 Toolinsert Adapter partition hame bescription cutting histories			XL XN	Tool insert	Adapter	Blade part no.	Blade name	Description	Max cutting	Picture
---	--	--	----------	-------------	---------	-------------------	---------------	-------------	----------------	---------

### Blades for cutting different grades of foam materials up to maximum 40 mm -1 1/4" thickness

Foam Knife	34010330					
Foam Head	34014845	42423251	BLD- SF501	Excellent general purpose foam knife - very sharp and durable	40mm 1 9/16"	
Foam Unit						
Foam Knife	34010330			This blade has the same advantages as SF501.		
Foam Head	34014845	42423269	BLD- SF502	The greater sloping edge allows for a slightly faster feed rate and improves cutting ability in softer materials. However, it will have a negative	40mm 1 9/16"	
Foam Unit				influence on quality effect with narrow curves		

### Blades for cutting different grades of foam materials up to maximum 60 mm -2 3/8" thickness

Foam Head Foam Unit	34014803	42423293	BLD- SF505	Excellent general-purpose knife - very sharp and durable	60mm 2 3/8"	
Foam Head Foam Unit	34014803	42423301	BLD- SF506	This blade has the same advantages as SF505. The greater sloping edge allows for a slightly faster feed rate but will have a negative quality effect with narrow curves	60mm 2 3/8"	

### Blades for cutting different grades of foam materials up to maximum 86 mm -3 3/8" thickness

	Foam Head	34002659	34012716	BLD- SF509	Specialty blade for the FoamHead. Excellent general-purpose foam knife - very sharp and durable. Cuts up to 86mm [3 3/8"] thick material	86mm 3 3/8"	
--	--------------	----------	----------	---------------	--	----------------	--

## SFxxx (single edge flat) serrated blades

SFxxx (single edge flat) serrated blades for cutting different qualities and thicknesses of honeycomb and papercore board materials. Also good for some dense foam materials.



Our oscillating foam cutting tools are optimized to work with these knife blades with regards to stroke amplitude and frequency. For the XN and XL these tools require the high (95 mm) traverse clearance. When working with these tools and blades, you can often achieve better productivity with the 5,5 mm felt cutting underlay.


These blades are made of HSS steel, which means a lower price and less tendency to snag compared to tungsten carbide.



Re-board point of purchase display



Re-board furniture



	XL			Blade	Blade		Max	
XΡ	XN	Taal:aaaa	A -l t			Dannintin		Dietuus
С	х	Tool insert	Adapter	part no.	name	Description	cutting	Picture

### Blades for cutting different grades tough paper materials up to maximum 40mm -1 9/16" thickness

Foam Knife Foam Head Foam Unit	34010330 34014845	42423277	BLD- SF503	Designed for cutting paper honeycomb material. Suitable also for some dense foam materials, which are vulnerable to melting. The serrated edge cuts with less friction between blade and material than a smooth edge. Thus, the blade gets less hot.	40mm 1 9/16"	- moreover)
Foam Knife	34010330	42423285	BLD-	This blade has the same advantages as SF503.  The greater sloping edge allows for a slightly faster feed rate and may improve cutting ability	40mm	
Foam Unit		42423203	SF504	in softer materials, but will have a slightly negative quality effect with narrow curves	1 9/16"	

### Blades for cutting different grades of paper sandwich materials up to maximum 60mm -2 3/8" thickness

Foam Head	34014803	42423319	BLD- SF507	Designed for cutting paper honeycomb material. Suitable also for some dense foam materials that are vulnerable to melting. The serrated edge cuts with less friction between blade and material than a smooth edge. Thus, the blade gets less hot.	60mm 2 3/8"	
Foam Head	34014803	42423327	BLD- SF508	This blade has the same advantages as SF507. The greater sloping edge allows for a slightly faster feed rate and may improve cutting	60mm 2 3/8"	
Foam Unit			31 300	ability in softer materials but will have a slightly negative quality effect with narrow curves	2 3/0	_

### Blades for cutting different grades of tough paper materials up to maximum 86mm -3 3/8" thickness

	Foam Head	34002659	34019497	BLD- SF511	Honeycomb and foam knife with serrated edge. Very sharp and durable. Cuts up to 86mm [3 3/8"] thick material	86mm 3 3/8"	
--	-----------	----------	----------	---------------	--	----------------	--

## SFxxx (single edge flat) standard blades

SFxx (single edge flat) standard blades for cutting in different materials.








paper beer coasters

folding carton package



## Milling Bits


When handling and storing milling bits, always treat them with great care. The bits are manufactured from tungsten carbide, and the sharp edges are very easily chipped and degraded if they get in touch with any hard surface.

To achieve maximum milling precision, always try to adjust the depth of cut as close as possible to the thickness of the material when selecting a milling bit for a certain job.

When cutting material is significantly thicker than the cutting diameter, the best approach is to set the milling lines as multi-pass operations; executing each shape multiple times, 'digging' gradually deeper into the material. As a general rule, the depth of each pass should not exceed 1-1.5 times the length of the cutting diameter. There will, however, be materials where either a smaller or larger depth step is appropriate.

For milling jobs, it is recommended to program feed rates in absolute values (i.e., m/min or ips; not as a percentage of maximum speed).

Most applications are best finished using up cut bits due to better chip removal performance. If you encounter print chipping or lamination separation/damage, use a down cut bit to achieve the best top finish. A down-cut bit can also be beneficial in cases where there is a problem holding down the material.



## 6 mm multi purpose milling bits (up cut)



Our 6 mm multi purpose milling bits come in a large range of tip diameters and spiral lengths. See chart for more details on milling diameter, milling thickness and recomended RPM.





back printed acrylic

contour cut pvc

Bit	Multi Purpose	Up Cut	Single flute	Shank diameter	Tip diameter	Flute length	Total length		
BIT-MUS06-3512-50									

# Milling Bits

\*V max RPM = 45'

6mm Up Cut Bit 6mm Up Cut Bit Coated 6mm Up Cut Bit Double Flute HSMU = 1kW HPMU = 3kW

MultiCUT Ibag = 1kW MultiCUT V = 1kW max RPM 45' MultiCUT Kavo = 1kW MultiCUT HP = 3kW

C Milling	XP Milling	XN/XL Milling X	V Milling X starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MC V	42444067		BIT-				
		MC Kavo		02721314	42437913	MUS06-2006-50	Multi purpose, up-cut, single flute bit.	5mm 3/16"	Max 60'	
HPMU	HPMU	MC HP		42454728		( <i>i-</i> 3854)	Single flate bit.			
	HSMU	MC Ibag	MC V	42444067		217	Multi purpose, up-cut, single flute bit.		Max 60'	
		MC Kavo		02721314	42443531	BIT- MUS06-2506-50		5mm 3/16"		
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067		DIT	NA III	<b>5</b>		
		MC Kavo		02721314	42443549	BIT- MUS06-3006-50	Multi purpose, up-cut, single flute bit.	5mm 3/16"	Max 60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067		BIT-	NA III	10	Max 60'	J
		MC Kavo		02721314	42437905	MUS06-3011-50 ( <i>i</i> -3816 <i>i</i> -3862	Multi purpose, up-cut, single flute bit.	10mm 3/8"		OP SELLER
HPMU	HPMU	MC HP		42454728		i-3866)	C			H.
	HSMU	MC Ibag	MC V	42444067	42443556	BIT- MUS06-3512-50	Multi purpose, up-cut, single flute bit.	10mm 3/8"	Max 60'	
		MC Kavo		02721314						
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067	42459537	BIT- MUS06-3014-50	Multi purpose, up-cut, single flute bit.	13mm 1/2"	Max 60'	
		MC Kavo		02721314						
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MCV	42444067		DIT	Multi purpose, up-cut, single flute bit.	5mm 3/16"	Max 60'	
		MC Kavo		02721314	42443564	BIT- MUS06-4006-50				
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067		DIT	Multi purpose, up-cut, single flute bit.	10mm 3/8"	Max 60'	
		MC Kavo		02721314	42437863	BIT- MUS06-4012-50				- minin
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067		BIT-	Multi purposo up sut	20mm 13/16"	Max 60'	
		MC Kavo		02721314	42443572	MUS06-4022-50 ( <i>i</i> -3824 <i>i</i> -3874)	Multi purpose, up-cut, single flute bit.			- Community
HPMU	HPMU	MC HP		42454728		(1-3024 1-3074)				
	HSMU	MC Ibag	MC V	42444067				10mm 3/8"	Max	
		MC Kavo		02721314	42451062	BIT- MUS06-5012-50	Multi purpose, up-cut, single flute bit.		40′	
HPMU	HPMU	MC HP		42454728		W10300-3012-30	single nate bit.		Max 60'	
	HSMU	MC Ibag	MCV	42444067					Max	
		MC Kavo		02721314	42443598	BIT- MUS06-5022-58	Multi purpose, up-cut, single flute bit.	20mm 13/16"	40′	
HPMU	HPMU	MC HP		42454728		W10300-3022-36	Jingle flute bit.	13,10	Max 60'	
	HSMU	MC Ibag	MC V	42444067		DAT		20mm 13/16"	Max	
		MC Kavo		02721314	42458802	BIT- MUS06-5020-52	Multi purpose, up-cut,		50′	
HPMU	HPMU	MC HP		42454728	.2.30002	( <i>i-</i> 3880)	single flute bit.		Max 60'	

C	ХР	XN/XL Milling	V Milling X	Collets				Max	Max	
Milling	Milling	X	starter	part no.	Bit part no.	Bit name	Description	milling	RPM	Picture
	HSMU	MC Ibag	MC V	42444067			Multi purpose, up-cut, single flute bit.		Max	
		MC Kavo		02721314	42451070	BIT- MUS06-6012-50		10mm 3/8"	40′	
HPMU	HPMU	MC HP		42454728		( <i>i-</i> 5854)			Max 60'	
	HSMU	MC Ibag	MC V	42444067			Multi purpose, up-cut,		Max	
		MC Kavo		02721314	42442715	BIT- MUS06-6022-58		20mm	40′	TOP SE
HPMU	HPMU	MC HP		42454728		(i-3888)	single flute bit.	13/16"	Max 60'	LLER
	HSMU	MC Ibag	MC V	42444067					Max	
		MC Kavo		02721314	42438077	BIT- MUS06-6032-64	Multi purpose, up-cut, single flute bit.	30mm 1 3/16"	40′	
HPMU	HPMU	MC HP		42454728		( <i>i-</i> 3889)			Max 60'	
	HSMU	MC Ibag	MCV	42444067	42451096	BIT-MUS06-2006- 50C1	Multi purpose, up-cut, single flute, coated. Special variety of multi purpose milling bit, coated for better performance with different materials like aluminum and ACM.	5mm 3/16"		
		MC Kavo		02721314					Max 60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067			Multi purpose, up-cut, single flute, Special			
HPMU	НРМО	MC Kavo		02721314 42454728	42451096	BIT-MUS06-2006- 50C2	variety of multi purpose milling bit, premium coating for better performance and life time in different materials like aluminum and ACM. Helix 30 degree	5mm 3/16"	Max 60'	NEW
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, coated. Special variety of multi purpose milling bit, coated for better performance with different materials like aluminum and ACM.	5mm 3/16"		
		MC Kavo		02721314	42451104	BIT-MUS06-3006- 50C1			Max 60'	
НРМИ	НРМИ	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067			Multi purpose, up-cut,			
		MC Kavo		02721314			single flute, Special variety of multi			
HPMU	HPMU	МС НР		42454728	42471714	2471714 BIT-MUS06-3006- 50C2	purpose milling bit, premium coating for better performance and life time in different materials like aluminum and ACM. Helix 30 degree	5mm 3/16"	Max 60'	WBN

C Milling	XP Milling	XN/XL Milling X	V Milling X starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture	
	HSMU	MC Ibag	MC V	42444067		BIT-MUS06-4006- 50C1	Multi purpose, up-cut, single flute, coated. Special variety of multi purpose milling bit, coated for better performance with different materials like aluminum and ACM.				
		MC Kavo		02721314	42451112			5mm 3/16"	Max 60'		TOP SELLER
HPMU	HPMU	MC HP		42454728					00		LER
	HSMU	MC Ibag	MC V	42444067			Multi purpose, up-cut,				
		MC Kavo		02721314			single flute, Special variety of multi				
НРМИ	HPMU	MC HP		42454728	42471722	BIT-MUS06-4006- 50C2	purpose milling bit, premium coating for better performance and life time in different materials like aluminum and ACM. Helix 30 degree	5mm 3/16"	Max 60'		NEW
	HSMU	MC Ibag	MC V	42444067		BIT-MUS06-4012- 50C1	Multi purpose, up-cut, single flute, coated. Special variety of multi purpose milling bit, coated for better performance with different materials like aluminum and ACM.	10mm 3/8"			
		MC Kavo		02721314							
HPMU	HPMU	MC HP		42454728	42460824				Max 60'		
	HSMU	MC Ibag	MCV	42444067		BIT-MUS06-4012- 50C2	Multi purpose, up-cut, single flute, Special variety of multi purpose milling bit, premium coating for better performance and life time in different materials like aluminum and ACM. Helix 30 degree	10mm 3/8"	Max 60'		
		MC Kavo		02721314	42471730						z
НРМИ	HPMU	MC HP		42454728							NEW
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, Special variety of multi purpose milling bit, premium coating for better performance and life time in different materials like aluminum and ACM. Helix 30 degree	10mm 3/8"	Max		
		MC Kavo		02721314	42471748	BIT-MUS06-6012-			40′		NEW
НРМИ	НРМИ	MC HP		42454728	424/1/40	50C2			Max 60'		W:
	HSMU	MC Ibag	MC V	42444067					Max		
		MC Kavo		02721314	42455857	BIT- MUD06-4016-64	Multi purpose, up-cut,	14mm	40′		
HPMU	HPMU	MC HP		42454728		( <i>i-</i> 2624)	double flute bit.	9/16"	Max 60'		
	HSMU	MC Ibag	MC V	42444067		BIT-			Max		
		MC Kavo		02721314	42455865	MUD06-6025-64	Multi purpose, up-cut, double flute bit.	23mm 7/8"	40′		
HPMU	HPMU	MC HP		42454728		( <i>i</i> -2626)	double flute bit.		Max 60'		

## 6 mm multi purpose milling bits (down cut)



Our 6 mm multi purpose milling bits come in a large range of tip diameters and spiral lengths. See chart for more details on milling diameter, milling thickness andrecomended RPM.





plastic standing display

MultiCUT


Bit	Multi	Down	Single	Shank	Tip	Flute	Total
	Purpose	Cut	flute	diameter	diameter	length	length
		BIT-	MDS0	6- <mark>401</mark>	2-50		


C Milling	XP Milling	XN/XL/X Milling	V Milling X starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MC V	02721314		BIT-	Multi purpose, down-	3mm -	Max	_
		MC Kavo		42444067	42449355	MDS06-2004-50 ( <i>i-</i> 2854)	cut, single flute bit.	1/8"	60'	
HPMU	HPMU	MC HP		42454728		(, 203 1)				
	HSMU	MC Ibag	MC V	02721314		BIT-	Multi purpose, down-	5mm	Max	
		MC Kavo		42444067	42449363	MDS06-3006-50	cut, single flute bit.	3/16"	60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	02721314		BIT-	Multi purpose, down-	10mm	Max	
		MC Kavo		42444067	42447342	MDS06-3011-50 ( <i>i</i> -2862 <i>i</i> -2866)	cut, single flute bit.	3/8"	60'	
HPMU	HPMU	MC HP		42454728		(1-2802 1-2800)				
	HSMU	MC Ibag	MC V	02721314		BIT-	Multi purpose, down-	7mm	Max	
		MC Kavo		42444067	42449371	MDS06-4008-50	cut, single flute bit.	9/32"	60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	02721314		BIT-	Multi purpose, down-	7mm	Max	
		MC Kavo		42444067	42458810	MDS06-2008-64	cut, single flute bit.	9/32"	60'	
HPMU	HPMU	MC HP		42454728		( <i>i-</i> 2804)				
	HSMU	MC Ibag	MC V	02721314		BIT-	NA. Iki a	10	Mari	
		MC Kavo		42444067	42449389	MDS06-4012-50	Multi purpose, down- cut, single flute bit.	10mm 3/8"	Max 60'	
HPMU	HPMU	MC HP		42454728		( <i>i-</i> 2874)				
	HSMU	MC Ibag	MC V	02721314		DIT			Max	
		MC Kavo		42444067	42447359	BIT- MDS06-5022-60	Multi purpose, down-	20mm	40′	
HPMU	HPMU	MC HP		42454728		( <i>i-</i> 2880)	cut, single flute bit.	13/16"	Max 60'	
	HSMU	MC Ibag	MC V	02721314			Sintra, Styrene, Acrylic,		Max	
		MC Kavo		42444067	42458414	BIT- MDS06-6020-64	Polycarbonate, Di-	20mm	50′	32W
HPMU	HPMU	MC HP		42454728		( <i>i-</i> 2888)	bond, with top print/ laminate	13/16"	Max 60'	
	HSMU			02721314	121E0122	BIT-	Routing – for soft/hard plastic Sintra, Styrene,	30mm	Max 50'	- 8310
HPMU	HPMU			42454728	42458422	MDS06-6030-64 ( <i>i-</i> 2889)	Acrylic, Di-bond, i.e. w/ top print/laminated	1 3/16"	Max 60'	

## 6 and 8 mm super sharp milling bits (up cut)



Our 6mm super sharp milling bits come in a large range of tip diameters and spiral lengths. See chart for more details on milling diameter, milling thickness and recommended RPM. The Super Sharp bits are grinded / polished for an optimized routing surface.





acrylic acrylic

i	Bit	Acrylic	Up Cut	Single flute	Shank diameter	Tip diameter	Flute length	Total length
			BIT-	AUS0	6- <mark>40</mark> 22	2-50		

MultiCUT Ibag = 1kW MultiCUT V = 1kW max RPM 45' MultiCUT Kavo = 1kW MultiCUT HP = 3kW

C Milling	XP Milling	XN/XL/X Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MC V	42444067						
		MC Kavo		02721314	42437897	BIT- AUS06-2006-50	Acrylic (super sharp),	5mm - 3/16"	Max 60'	
HPMU	HPMU	MC HP		42454728		AUS06-2006-50	up-cut, single flute bit.	3/10	60	
	HSMU	MC Ibag	MC V	42444067						
		MC Kavo		02721314	42445916	BIT- AUS06-3006-50	Acrylic (super sharp), up-cut, single flute bit.	5mm - 3/16"	Max 60'	
HPMU	HPMU	MC HP		42454728		A0300-3000-30	up-cut, single nate bit.	3/10	00	
	HSMU	MC Ibag	MC V	42444067						70
		MC Kavo		02721314	42437889	BIT- AUS06-3011-50	Acrylic (super sharp), up-cut, single flute bit.	10mm - 3/8"	Max 60'	OP SELLER
HPMU	HPMU	MC HP		42454728		7.0300 3011 30	ap eat, single nate sin	5.0		ER
	HSMU	MC Ibag	MC V	42444067						
		MC Kavo		02721314	42458992	BIT- AUS06-3014-50	Acrylic (super sharp), up-cut, single flute bit.	13mm - 1/2"	Max 60'	
HPMU	HPMU	MC HP		42454728		7.0300 301 130	ap car, single nate sin			
	HSMU	MC Ibag	MC V	42444067						
		MC Kavo		02721314	42449439	BIT- AUS06-3022-50	Acrylic (super sharp), up-cut, single flute bit.	20mm 13/16"	Max 60'	
HPMU	HPMU	MC HP		42454728			, , ,			
	HSMU	MC Ibag	MC V	42444067		217		_		
		MC Kavo		02721314	42445924	BIT- AUS06-4008-50	Acrylic (super sharp), up-cut, single flute bit.	7mm - 9/32"	Max 60'	
HPMU	HPMU	MC HP		42454728			, ,			
	HSMU	MC Ibag	MC V	42444067		DIT	A P- ( la )	10		TO
		MC Kavo		02721314	42437848	BIT- AUS06-4012-50	Acrylic (super sharp), up-cut, single flute bit.	10mm - 3/8"	Max 60'	OP SELLER
HPMU	HPMU	MC HP		42454728						Ä
	HSMU	MC Ibag	MC V	42444067		DIT	Acrilia (aunor chara)	20	May	
		MC Kavo		02721314	42442665	BIT- AUS06-4022-50	Acrylic (super sharp), up-cut, single flute bit.	20mm 13/16"	Max 60'	- Contract of
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067					Max	
		MC Kavo		02721314	42451047	BIT- AUS06-5012-50	Acrylic (super sharp), up-cut, single flute bit.	11mm - 3/8"	40′	- Seen
НРМИ	HPMU	MC HP		42454728		A0300-3012-30	up-cut, single nate bit.	3/6	Max 60'	
	HSMU	MC Ibag	MC V	42444067					Max	
		MC Kavo		02721314	42443762	BIT-	Acrylic (super sharp),	20mm	40′	THE Y
НРМИ	HPMU	MC HP		42454728	12113102	AUS06-5022-58	up-cut, single flute bit.	13/16"	Max 60'	
	HSMU	MC Ibag	MC V	42444067					Max	
		MC Kavo		02721314	12451054	BIT-	Acrylic (super sharp),	11mm -	40'	
НРМИ	HPMU	MC HP		42454728	42451054	AUS06-6012-50	up-cut, single flute bit.	3/8"	Max 60'	

## 6 mm super sharp milling bits (down cut)



Our 6 mm super sharp milling bits come in a large range of tip diameters and spiral lengths. See chart for more details on milling diameter, milling thickness and recomended RPM. The Super Sharp bits are grinded / polished for an optimized routing surface.





polystyrene core sign

acrylic

Bit	Acrylic	Down Cut	Single flute	Shank diameter	Tip diameter	Flute length	Total length
		BIT-	ADS0	6- <mark>40</mark> 12	2-60		

C Milling	XP Milling	XN/XL/X Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MC V	42444067		DIT	Asadis (super sharp)	200000	Max 40'	TOP
		MC Kavo		02721314	42442707	BIT- AUS06-6022-58	Acrylic (super sharp), up-cut, single flute bit.	20mm 13/16"		SELLER SELLER
HPMU	HPMU	MC HP		42454728			, · · · · · ·		Max 60'	T.
	HSMU	MC Ibag	MC V	42444067					Max	
		MC Kavo		02721314	42438069	BIT-	Acrylic (super sharp),	30mm -	40′	
HPMU	HPMU	MC HP		42454728		AUS06-6032-64	up-cut, single flute bit.	1 1/8"	Max 60'	
HPMU	HPMU			42454736	42454561	BIT- AUS08-8042-76	Acrylic (super sharp), up-cut, single flute bit.	40mm - 1 1/2"	Max 30'	-
HPMU	HPMU			42454736	42454579	BIT- AUS08-8055-90	Acrylic (super sharp), up-cut, single flute bit.	50mm - 2"	Max 30'	

## 6 mm soft metal single flute bits (up cut)



6 mm multi purpose bits are ideal for milling soft metals such as aluminum. See chart for more details on milling diameter, milling thickness and recommended RPM.





aluminum sign letters

Bit	Soft Metals	Up Cut	Single flute	Shank diameter	Tip diameter	Flute length	Total length
		BIT-	SUSO	6- <mark>40</mark> 20	0-64		

C Milling	XP Milling	XN/XL/X Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MC V	42444067						
		MC Kavo		02721314	42449488	BIT- ADS06-2006-50	Acrylic (super sharp), down-cut, single flute bit.	5mm - 3/16"	Max 60'	
HPMU	HPMU	MC HP		42454728			Dit.			
	HSMU	MC Ibag	MCV	42444067						
		MC Kavo		02721314	42445932	BIT- ADS06-3006-50	Acrylic (super sharp), down-cut, single flute bit.	5mm - 3/16"	Max 60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MCV	42444067						
		MC Kavo		02721314	42443358	BIT- ADS06-3011-50	Acrylic (super sharp), down-cut, single flute bit.	10mm - 3/8"	Max 60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MCV	42444067						
		MC Kavo		02721314	42445940	BIT- ADS06-4008-50	Acrylic (super sharp), down-cut, single flute bit.	7mm - 9/32"	Max 60'	100
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MCV	42444067						
		MC Kavo		02721314	42445957	BIT- ADS06-4012-50	Acrylic (super sharp), down-cut, single flute bit.	11mm - 3/8"	Max 60'	- Doming
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MCV	42444067			A and is (accessed as a second		Max 40'	
		MC Kavo		02721314	42442756	BIT- ADS06-5022-60	Acrylic (super sharp), down-cut, single flute bit.	20mm 13/16"		
HPMU	HPMU	MC HP		42454728			DIC.		Max 60'	

## 6 mm soft metal single flute bits (down cut)



6 mm multi purpose bits are ideal for milling soft metals such as aluminum. See chart for more details on milling diameter, milling thickness and recommended RPM.





ACM Sign

printed ACM

Soft Metals
Down Cut
Single flute
Shank diameter
Tip diameter
Flute length
Total length

MultiCUT Ibag = 1kW MultiCUT V = 1kW max RPM 45' MultiCUT Kavo = 1kW MultiCUT HP = 3kW

\*V max RPM = 45'

C Milling	XP Milling	XN/XL/X Milling	V Milling X starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture	
	HSMU	MC Ibag	MCV	02721314							
		MC Kavo		42444067	42458463	BIT- SUS06-3012-64 ( <i>i-</i> 3916)	Aluminum, hard laminate with top print/laminate or blank	12mm 15/32"	Max 60'	36	
HPMU	HPMU	MC HP		42454728							
	HSMU	MC Ibag	MCV	02721314							
		MC Kavo		42444067	42458471	BIT- SUS06-4020-64 ( <i>i-</i> 3924)	Aluminum, hard laminate with top print/laminate or blank	20mm 13/16"	Max 60'		
HPMU	HPMU	MC HP		42454728							
	HSMU	MC Ibag	MCV	02721314		DIT	Al arts as bood				
		MC Kavo		42444067	42458489	BIT- SUS06-5016-64 ( <i>i-</i> 3930)	Aluminum, hard laminate with top print/laminate or blank	16mm 3/8"	Max 60'		
HPMU	HPMU	MC HP		42454728							
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, coated. Special variety of				
		MC Kavo		02721314	42451096	BIT-MUS06-2006- 50C1	multi purpose milling bit, coated for better performance with	5mm 3/16"	Max 60'		
HPMU	HPMU	MC HP		42454728			different materials like aluminum and ACM.				
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, Special variety of multi purpose milling bit,				
		MC Kavo		02721314	42471706	BIT-MUS06-2006- 50C2	premium coating for better performance and life time in	5mm 3/16"	Max 60'		NEW
HPMU	HPMU	MC HP		42454728			different materials like aluminum and ACM. Helix 30 degree				
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, coated.				
		MC Kavo		02721314	42451104	BIT-MUS06-3006- 50C1	Special variety of multi purpose milling bit, coated for better	5mm 3/16"	Max 60'		
HPMU	HPMU	MC HP		42454728			performance with different materials like aluminum and ACM.				
	HSMU	MC Ibag	MCV	42444067		BIT-MUS06-3006- p	Multi purpose, up-cut, single flute, Special variety of multi				
		MC Kavo		02721314	42471714		purpose milling bit, D6- premium coating for	5mm 3/16"	Max 60'		NEW
HPMU	HPMU	MC HP		42454728	424/1714 50C2 b		better performance and life time in different materials like aluminum and ACM. Helix 30 degree	3/10	60		

\*V max RPM = 45'

MultiCUT Ibag = 1kW MultiCUT V = 1kW max RPM 45' MultiCUT Kavo = 1kW MultiCUT HP = 3kW


C Milling	XP Milling	XN/XL/X Milling	V Milling X starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture	
	HSMU	MC Ibag	MC V	42444067			Multi purpose, up-cut, single flute, coated. Special variety of				
		MC Kavo		02721314	42451112	BIT-MUS06-4006- 50C1	multi purpose milling bit, coated for better performance with	5mm 3/16"	Max 60'		TOP SELLER
HPMU	HPMU	MC HP		42454728			different materials like aluminum and ACM.				
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, Special variety of multi purpose milling bit,				
		MC Kavo		02721314	42471722	BIT-MUS06-4006- 50C2	premium coating for better performance and life time in	5mm 3/16"	Max 60'		NEW
HPMU	HPMU	MC HP		42454728			different materials like aluminum and ACM. Helix 30 degree				
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, coated. Special variety of				
		MC Kavo		02721314	42460824	BIT-MUS06-4012- 50C1	multi purpose milling bit, coated for better performance with	10mm 3/8"	Max 60'		
HPMU	HPMU	MC HP		42454728			different materials like aluminum and ACM.				
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, Special variety of multi purpose milling bit,				
		MC Kavo		02721314	42471730	BIT-MUS06-4012- 50C2	premium coating for better performance and life time in	10mm 3/8"	Max 60'		NEW
HPMU	HPMU	MC HP		42454728			different materials like aluminum and ACM. Helix 30 degree				
	HSMU	MC Ibag	MCV	42444067			Multi purpose, up-cut, single flute, Special variety of multi		Max		
		MC Kavo		02721314	42471748 BIT-MUS06-6012-		purpose milling bit, premium coating for better performance	10mm 3/8"	40′		NEW
HPMU	HPMU	MC HP		42454728			and life time in different materials like aluminum and ACM. Helix 30 degree		Max 60'		

C Milling	XP Milling	XN/XL /X Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MC V	02721314						
		MC Kavo		42444067	42458430	BIT- SDS06-3012-64 ( <i>i-</i> 2916)	Aluminum, hard laminate with top print/laminate	12mm 15/32"	Max 60'	
HPMU	HPMU	MC HP		42454728		<b>,</b>				
	HSMU	MC Ibag	MC V	02721314		DIT	Alveriance hand			
		MC Kavo		42444067	42458448	BIT- SDS06-4020-64 ( <i>i-</i> 2924)	Aluminum, hard laminate with top print/laminate	20mm 13/16"	Max 60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	02721314		DIT	Aluminum hard		Max	
		MC Kavo		42444067	42458455	BIT- SDS06-5016-64 ( <i>i-</i> 2930)	Aluminum, hard laminate with top print/laminate	16mm 5/8"	50′	
HPMU	HPMU	MC HP		42454728					Max 60'	

## 6 mm wood double flute bits (up cut)




6 mm multi purpose bits are ideal for milling soft metals such as aluminum. See chart for more details on milling diameter, milling thickness and recommended RPM.





wood signs

wood composite



\*V max RPM = 45'

Up Cut Bit Down Cut bit HSMU = 1kW HPMU = 3kW

MultiCUT Ibag = 1kW MultiCUT V = 1kW max RPM 45' MultiCUT Kavo = 1kW MultiCUT HP = 3kW

C Millir	XP Milling	XN/XL/X Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MC V	02721314		BIT-	Soft hard composite	10	Max 50'	
		MC Kavo		42444067	42458497	WUD06-4016-64	wood with top print	16mm 5/8"	max 50	
HPM	U HPMU	MC HP		42454728		( <i>i-</i> 5210)	laminate.	5/8	Max 60'	
	HSMU	MC Ibag	MC V	02721314		BIT-	Soft hard composite		M FO/	
		MC Kavo		42444067	42458752	WUD06-6025-64	wood with top print	25mm 1"	Max 50'	56
НРМ	U HPMU	MC HP		42454728		( <i>i</i> -5212)	laminate.	·	Max 60'	

## 6 mm wood double flute bits (down cut)




6mm multi purpose bits are ideal for milling wood and wood composite materials. See chart for more details on milling diameter, milling thickness and recommended RPM.





wood printed wood sign



Up Cut Bit Down Cut bit HSMU = 1kW HPMU = 3kW MultiCUT Ibag = 1kW MultiCUT V = 1kW max RPM 45' MultiCUT Kavo = 1kW MultiCUT HP = 3kW \*V max RPM = 45' Collets Max Max Milling Milling part no. Bit part no. Bit name Description milling RPM Picture 02721314 **HSMU** MC Ibag MC V Soft hard composite Max 50' 16mm MC Kavo 42444067 42458760 WDD06-4016-64 wood with top print 5/8" (*i*-5710) laminate HPMU HPMU MC HP 42454728 Max 60' HSMU MC Ibag MC V 02721314 BIT-Soft hard composite Max 50' 25mm MC Kavo 42444067 42458778 WDD06-6025-64 wood with top print (i-5712) laminate HPMU HPMU MC HP 42454728 Max 60'

## 3 mm multi purpose milling bits



3 mm multi purpose bits are ideal for milling many small details and inside radiuses in thinner materials. They can all be runned at full 60.000 RPM on all platforms.







fine detailed aluminum sign

Bit	Multi Purpose	Up Cut	Single flute	Shank diameter	Tip diameter	Flute length	Total length
		BIT-	MUS0	3- <mark>20</mark> 0	6-38		

\*V max RPM = 45'

C Milling	XP Milling	XN/XL <b>/X</b> Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC	MCV	42444083	42443390	BIT-	Multi purpose, up-cut,	3mm	Max	
HPMU	HPMU	MC HP		42455675		MUS03-1004-38	single flute bit.	1/8"	60'	
	HSMU	MC	MC V	42444083	42443408	BIT-	Multi purpose, up-cut,	5mm	Max	
HPMU	HPMU	MC HP		42455675	42443400	MUS03-1506-38	single flute bit.	3/16"	60'	
	HSMU	МС	MC V	42444083	42443416	BIT-	Multi purpose, up-cut,	5mm	Max	
HPMU	HPMU	MC HP		42455675	42443410	MUS03-2006-38	single flute bit.	3/16"	60'	
	HSMU	МС	MCV	42444083	42443424	BIT-	Multi purpose, up-cut,	5mm -	Max	
HPMU	HPMU	MC HP		42455675	42443424	MUS03-2506-38	single flute bit.	6/16"	60'	
	HSMU	МС	MCV	42444083	42443432	BIT-	Multi purpose, up-cut,	5mm -	Max	
HPMU	HPMU	MC HP		42455675	42443432	MUS03-3006-38	single flute bit.	6/16"	60'	
	HSMU	MC	MCV	42444083	42443440	BIT-	Multi purpose, up-cut,	10mm	Max	
HPMU	HPMU	MC HP		42455675	42443440	MUS03-3011-38	single flute bit.	3/8"	60'	
	HSMU	МС	MCV	42444083	42449306	BIT-	Multi purpose, down-	1,5mm	Max	
HPMU	HPMU	MC HP		42455675	42443300	MDS03-1002-38	cut, single flute bit.	1/16"	60'	
	HSMU	MC	MCV	42444083	42449314	BIT-	Multi purpose, down-	2,5mm	Max	
HPMU	HPMU	MC HP		42455675	42443314	MDS03-1503-38	cut, single flute bit.	3/32"	60'	
	HSMU	МС	MCV	42444083	42449330	BIT-	Multi purpose, down-	5mm	Max	
HPMU	HPMU	MC HP		42455675	42473330	MDS03-3006-38	cut, single flute bit.	3/16"	60'	
	HSMU	МС	MCV	42444083	42449348	BIT-	Multi purpose, down-	10mm	Max	
HPMU	HPMU	MC HP		42455675	<del>4</del> 2443340	MDS03-3011-38	cut, single flute bit.	3/8"	60'	


## 3 mm super sharp milling bits



3 mm super sharp milling bits are ideal for milling many small details and inside radiuses in thinner materials. They can all be runned at full 60.000 RPM on all platforms. The Super Sharp bits are grinded / polished for an optimized routing surface.



acrylic with fine detail



\*V max RPM = 45'

C Milling	XP Milling	XN/XL /X Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	МС	MCV	42444083	42443614	BIT-	Acrylic (super sharp),	3mm -	Max	
HPMU	HPMU	MC HP		42455675		AUS03-1004-30	up-cut, single flute bit.	1/8"	60'	
	HSMU	MC	MC V	42444083	42443622	BIT-	Acrylic (super sharp),	5mm -	Max	
HPMU	HPMU	MC HP		42455675		AUS03-1506-30	up-cut, single flute bit.	3/16"	60'	
	HSMU	MC	MC V	42444083	42443630	BIT-	Acrylic (super sharp),	5mm -	Max	
HPMU	HPMU	MC HP		42455675		AUS03-2006-30	up-cut, single flute bit.	3/16"	60'	
	HSMU	MC	MC V	42444083	42443648	BIT-	Acrylic (super sharp),	7mm -	Max	- ann
HPMU	HPMU	MC HP		42455675		AUS03-2008-30	up-cut, single flute bit.	9/32"	60'	
	HSMU	MC	MC V	42444083	42443655	BIT-	Acrylic (super sharp),	10mm -	Max	
HPMU	HPMU	MC HP		42455675	.2 1 13033	AUS03-2011-38	up-cut, single flute bit.	3/8"	60'	
	HSMU	MC	MC V	42444083	42443663	BIT-	Acrylic (super sharp),	5mm -	Max	
HPMU	HPMU	MC HP		42455675		AUS03-2506-30	up-cut, single flute bit.	3/16"	60'	
	HSMU	MC	MC V	42444083	42443671	BIT-	Acrylic (super sharp),	10mm -	Max	
HPMU	HPMU	MC HP		42455675		AUS03-2511-38	up-cut, single flute bit.	3/8"	60'	
	HSMU	MC	MC V	42444083	42443689	BIT-	Acrylic (super sharp),	5mm -	Max	
HPMU	HPMU	MC HP		42455675	12 1 13003	AUS03-3006-30	up-cut, single flute bit.	3/16"	60'	
	HSMU	MC	MC V	42444083	42443697	BIT-	Acrylic (super sharp),	10mm -	Max	
HPMU	HPMU	MC HP		42455675		AUS03-3011-38	up-cut, single flute bit.	3/8"	60'	
	HSMU	MC	MC V	42444083	42443705	BIT-	Acrylic (super sharp),	20mm	Max	amme =
HPMU	HPMU	MC HP		42455675		AUS03-3022-50	up-cut, single flute bit.	13/16"	60'	
	HSMU	MC	MC V	42444083	42449447	BIT-	Acrylic (super sharp), down-cut, single flute	2,5mm	Max	
HPMU	HPMU	MC HP		42455675		ADS03-1003-38	bit.	3/32"	60'	
	HSMU	MC	MC V	42444083	42449454	BIT-	Acrylic (super sharp), down-cut, single flute	3mm -	Max	
HPMU	HPMU	MC HP		42455675		ADS03-1504-38	bit.	1/8"	60'	
	HSMU	MC	MC V	42444083	42449462	BIT-	Acrylic (super sharp), down-cut, single flute	5mm -	Max	
HPMU	HPMU	MC HP		42455675	.25 102	ADS03-2006-38	bit.	3/16"	60'	
	HSMU	MC	MC V	42444083	42445981	BIT-	Acrylic (super sharp), down-cut, single flute	5mm -	Max	
HPMU	HPMU	MC HP		42455675	72773301	ADS03-3006-38	bit.	3/16"	60'	
	HSMU	MC	MC V	42444083	42449470	BIT-	Acrylic (super sharp), down-cut, single flute	10mm -	Max	
HPMU	HPMU	MC HP		42455675	72773470	ADS03-3011-38	bit.	3/8"	60'	

### 6 mm special purpose milling bits



This is our section for special purpose milling bits for engraving, high speed folding lines in ACM (aluminum composite materials), outer radius, braiile mounting etc. See chart for details, milling thickness, max RPM, etc.








engraved acrylic

ACM with v-notches

milled wood radius detail



Folding Bits Engraving Bits Radius Bit Polishing Bit Braille Bit Compression Bit Straight Cut Bit HSMU = 1kW HPMU = 3kW

\*V max RPM = 45'

MultiCUT Ibag = 1kW MultiCUT V = 1kW max RPM 45' MultiCUT Kavo = 1kW MultiCUT HP = 3kW

C Milling	XP Milling	XN/XL/X Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
LIDALL	HSMU	MC Ibag  MC Kavo	MC V	42444067 02721314 42454728	42444398	BIT-EBV06-40 ( <i>i-</i> 6630)	Engraving bits for acrylics, other synthetic materials and wood. 40 degree. Produces a bottom groove diameter of	4mm - 5/32"	Max 60'	
НРМИ	HSMU HPMU	MC Ibag MC Kavo MC HP	MCV	42444067 02721314 42454728	42444406	BIT-EBV06-60 ( <i>i-</i> 6660)	0,4mm. Engraving bits for acrylics, other synthetic materials and wood. 60 degree. Produces a bottom groove diameter of 0,4mm	4mm - 5/32"	Max 60'	

C Milling	XP Milling	XN/XL/X Milling	V Milling X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MCV	42444067			Special purpose milling bit for making crease lines in			
		MC Kavo		02721314	42444992	BIT-EBV06-46	polypropylene. 46 degree. Produce a bottom groove	4mm - 5/32"	Max 60'	
HPMU	HPMU	MC HP		42454728			diameter of 0,4mm. (ball nose bit)			
	HSMU	MC Ibag	MC V	42444067			Folding tool for aluminum			
		MC Kavo		02721314	42444380	BIT-EBV06-73	composite material, max	3mm - 1/8"	Max 60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067			Hi-speed folding tool for aluminum composite			
		MC Kavo		02721314	02731628	BIT-EBV06-94 ( <i>i-</i> 3772)	material, 90 degree, max 4mm. Tip width 0,9mm	4mm - 5/32"	Max 40'	
HPMU	HPMU	MC HP		42454728			produce a groove bottom of 1,8mm			
	HSMU	MC Ibag	MC V	42444067			Hi-speed folding tool for aluminum composite			_
		MC Kavo		02721314	42458141	BIT-EBV06-120	material, 120 degree 2 flute. ball nose with tip	4mm - 5/32"	Max 60'	$\rightarrow$
HPMU	HPMU	MC HP		42454728			dia. 1,8mm			
	HSMU	MC Ibag	MC V	42444067			Hi-speed four flute folding tool for grey board and			
		MC Kavo		02721314	42459719	BIT-EBV06- 60-4F	similar materials, max 5,2mm; this tool makes a	5,2mm 1/5"	Max 60'	
HPMU	HPMU	MC HP		42454728		60 degree groove.				
	HSMU	MC Ibag	MC V	42444067		BIT-EBV06- 90-4F	Hi-speed four flute folding tool for grey board and			
		MC Kavo		02721314	42459727		similar materials, max 3mm; this tool makes a 90 degree groove.	3mm - 1/8"	Max 60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067			Hi-speed four flute folding tool for grey board and			
		MC Kavo		02721314	42459735	BIT-EBV06- 120-4F	similar materials, max 1,7mm; this tool makes a	1,7mm 11/16"	Max 60'	
HPMU	HPMU	MC HP		42454728			120 degree groove.			
	HSMU	MC ibag	MC V	42444067			five flute engraving bit for			
		MC Kavo		02721314	42462960	BIT-EBV06- 158-5F	wood, MDF, hardboard, flooring etc	0,3mm	Max 60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC Ibag	MC V	42444067				4mm		
		MC Kavo		02721314	34092429	BIT-RBO06-04	Radius bit outer 6mm shaft, radius 5mm	- 5/32" pr pass	Max 60'	
HPMU	HPMU	MC HP		42454728				P 1233		
	HSMU	MC Ibag	MCV	42444067				4 to		
		MC Kavo		02721314	34111567	7 BIT- RBO06-04-06	Single flute	6mm 5/32"	Max 40'	
HPMU	HPMU	MC HP		42454728				to 1/4"		
	HSMU	MC Ibag	MCV	42444067	34111575 BIT- RB006-06		Single fluite	6 to		
		MC Kavo		02721314		BIT- RBO06-06-08		8mm 1/4" to	Max 40'	
HPMU	HPMU	MC HP		42454728				9/32"		

			.,							
			V Milling	- "						
C Milling	XP Milling	XN/XL/X Milling	X Starter	Collets part no.	Bit part no.	Bit name	Description	Max milling	Max RPM	Picture
	HSMU	MC Ibag	MCV	42444067				8 to		
		MC Kavo		02721314	34111583	BIT- RBO06-08-10	Single flute	10mm 9/32"	Max 40'	
HPMU	HPMU	MC HP		42454728				to 3/8"		
	HSMU	MC ibag	MC V	42444067				12 to		
		MC Kavo		02721314	34111591	BIT- RBO06-12-14	Radius Bit Outer, 6mm shaft radius 3,5mm	14mm 15/32"	Max 40'	
HPMU	HPMU	MC HP		42454728				to 1/2"		
	HSMU	MC ibag	MC V	42444067		Monocrystalline	For polishing edges	5mm	Max	
		MC Kavo		02721314	42452169	diamond polish tool	of acrylics and similar materials.	- 3/16" pr pass	60'	
HPMU	HPMU	MC HP		42454728						
	HSMU	MC ibag	MC V	42444067		Polycrystalline Daimond	For polishing edges	13mm -	Max	
		MC Kavo		02721314	42463646	polishing bit 14mm	of acrylics and similar materials.	1/2" pr pass	60′	
HPMU	HPMU	MC HP		42454728			Drilling bit for Braille. For			
	HSMU	MC Ibag	MC V	42444067		BIT-BRAILLE06	drilling in acrylic, PVC, etc. Shaft 6mm,Tip diameter:	3mm -	Max	
		MC Kavo		02721314	42460238	-1403-50	1,55mm (0,0610 Inch) Workstogether with the	1/8"	20'	
HPMU	HPMU	MC HP		42454728			Brailletool.			
	HSMU	MC Ibag	MC V	42444067			Drilling bit for Braille. For use in harder materials			
		MC Kavo		02721314	42455477	BIT-BRAILLE06 -1503-50	like Aluminum, ACM etc. Tip diameter: 1,56mm	3mm - 1/8"	Max 20'	
HPMU	HPMU	MC HP		42454728			(0,0615 Inch) Works together with the Braille tool.			
	HSMU	MC Ibag	MCV	42444067		DIT MCCOC	This is a compression bit for smooth edges on both		Max	
		MC Kavo		02721314	42458786	BIT- MCS06- 6022-64 ( <i>i-</i> 9152)	top and bottom liner. Acrylic, Polycarbonate, Sintra with two sided print	22mm - 1"	50′	
HPMU	HPMU	MC HP		42454728			laminate.		Max 60'	
	HSMU	MC Ibag	MCV	42444067			This is a compression bit for smooth edges on both		Max	
		MC Kavo		02721314	42471763	BIT-MCS06- 4015-40	top and bottom liner, can handle materials as thin	15mm	50′	
HPMU	HPMU	MC HP		42454728			as 2mm		Max 60'	
	HSMU	MC Ibag	MCV	42444067			This is a compression bit		Max	
		MC Kavo		02721314	42471771	BIT-MCS06- 6022-64	for smooth edges on both top and bottom liner, can handle materials as thin	22mm	50′	
HPMU	HPMU	MC HP		42454728			as 2mm		Max 60'	
	HSMU	MC Ibag	MC V	42444067					Max	
		MC Kavo		02721314	42458794	BIT- MSD06- 6025-64	Kappa with direct print	25mm - 1"	50′	
НРМИ	НРМИ	MC HP		42454728		( <i>i-</i> 6432)	or blank	- 1"	Max 60'	


## Accessories

## Milling accessories



Milling accessories include adjustment sleeves, replacement chucks and maintenance items for the Kongsberg XP/C and XN/XL/V. See the chart for descriptions and machine compatibility.





MultiCUT head



C	ХР	XN/XL/X	V Milling X				
Milling	Milling	Milling		Part no.	Part name	Description	Picture

#### Adjustment sleeves

MC Ibag  MC Kavo  MC HP	MCV	34054510	Adjustment sleeve MultiCut 20mm	Use in order to get the right milling depth when changing bit.	
MC Ibag	MC V		Adjustment sleeve MultiCut 28mm		
MC Kavo		34038406		Use in order to get the right milling depth when changing bit	
MC HP					

#### Dummy bits

	HSMU	MC Ibag	MC V	42448175	Dummy router bit	placed in chuck when milling spindle is not in use		
HPMU	HPMU	MC HP			3mm L40			
	HSMU	MC Ibag	MC V					
		MC Kavo		42419457	Dummy router bit 6mm L40	placed in chuck when milling spindle is not in us		
HPMU	HPMU	MC HP						
	HSMU		MC V	42455667	Dummy router bit	placed in chuck when milling spindle is not in use		
HPMU	HPMU			42433007	8mm L40	placed in chack when mining spindle is not in use		
	HSMU	MC Ibag	MC V					
		MC Kavo		42448183	Dummy router bit 1/4" L40	placed in chuck when milling spindle is not in use		
HPMU	HPMU	MC HP						

#### Replacement chucks / collets for 3 kW lbag

НРМИ	HPMU		42454736	8mm replacement chuck	88.0
НРМИ	HPMU	MC HP	42454728	6mm replacement chuck	Ø8,0-
НРМИ	HPMU	MC HP	42455675	3mm replacement chuck	-03,0

Description Picture	Part name	Part no.	V Milling X Starter	XN/XL/X Milling	XP Milling	C Milling
Replacement chucks / collets for 1 kW lbag						
	6mm replacement chuck	42444067	MCV	MC Ibag	HSMU	
-0.010	3mm replacement chuck	42444083	MC V	MC Ibag	HSMU	
Replacement chucks / collets for 1 kW Kavo						
	6mm replacement chuck	02721314		MC Kavo		
Chuck maintenance kit						
			MC V	MC Ibag		
	Chuck maintenance kit MultiCut (XL / XN)	02746188		MC Kavo		
				MC HP		
	Chuck maintenance kit XP	02746196			HSMU	HPMU
Replacement plastic bags for Vacuum cleaner					TIFINO	TIFIVIO
Es Control of the Con	Plastic bags for Vac.Cleaner 75L tank (50pcs)	42454124	strial)	er 75l (indu	um clean	Vacuu
	Plastic bags vac. cleaner Dolphin (50pcs)	42447383	nin	eaner Dolph	icuum cle	Va
	Plastic bags for					

vac. vleaner TB

Esko. (50pcs)

42462101


Vacuum cleaner TB Esko


## Accessories

## Drawing tools




This is our section for drawing tools, including fiber tip pens, liquid pen inserts and ball point pen refills.





pen plot

pen plot



# Drawing tools

	XL							
	XN				Pen			
(P C	V		Tool insert/unit	Adapter	part no.	Pen name	Description	Picture
C	Х	XE	1001 IIISELVUIIIL	Adapter	part 110.	remidifie	Description	ricture

#### Pens for drawing or marking on different materials

				rens for drawing or marking on	i dillerent materiais
Fibretip pen	34011825			For drawing on materials such as clear	
Ø14 mm multifunction unit	34068601	42403402	PEN-FP317	vinyl, which normally cannot be marked with ballpoint or liquid ink pens. Fiber tip pens, Lumocolor 317 WP6 (set of 8). Line	
Fibretip tool	N/A			thickness: medium 1.0 mm	Manage
Fibretip pen	34011825			For drawing on materials such as clear	
Ø14 mm multifunction unit	34068601	42433672	PEN-FP318	vinyl, which normally cannot be marked with ballpoint or liquid ink pens, Fiber tip pens, Lumocolor 318 WP6 (set of 8). Line	
Fibretip tool	N/A			thickness: fine 0.6 mm	<b>Manage</b>
Liquid ink tool	34022285			Liquid ink pen insert.	
Ø14 mm multifunction unit	34068551	42429779	9 PEN-LP164	0.35mm black. For use with Liquid Ink Tool.	American Con-
Ball point pen tool	34006890			Marillon Prochallon Concerning Children	
Ø14 mm multifunction unit	34068544	43504083	PEN-BP101	Medium line ball point pen refill, black. for high-speed plots on paper, Mylar foil or directly onto dieboard	mist.
Ball point pen tool	34063750				
Ball point pen tool	34006890			Medium line ball point pen refill, blue for	
Ø14 mm multifunction unit	34068544	44262236	PEN-BP102	high-speed plots on paper, Mylar foil or directly onto dieboard	
Ball point pen tool	34063750				
Ball point pen tool	34006890	44202059	PEN-BP103	Medium line ball point pen refill, red for	
Ø14 mm multifunction unit	34068544			high-speed plots on paper, Mylar foil or directly onto dieboard	
Ball point pen tool	34063750				
Ball point pen tool	34006890			Medium line ball point pen refill, green for	
Ø14 mm multifunction unit	34068544	44202042	PEN-BP104	high-speed plots on paper, Mylar foil or directly onto dieboard	
Ball point pen tool	34063750				
Ball point pen tool	34006890			Bold line ball point pen refill, black for high-	
Ø14 mm multifunction unit	34068544	44202703	PEN-BP201	speed plots on paper, Mylar foil or directly onto dieboard	
Ball point pen tool	34063750				
Ball point pen tool	34006890			Bold line ball point pen refill, blue for high-	
Ø14 mm multifunction unit	34068544	44202687	PEN-BP202	speed plots on paper, Mylar foil or directly onto dieboard	
Ball point pen tool	34063750				
Ball point pen tool	34006890			Bold line ball point pen refill, red for high-	
Ø14 mm multifunction unit	34068544	44202729	PEN-BP203	speed plots on paper, Mylar foil or directly onto dieboard	
Ball point pen tool	34063750				
Ball point pen tool	34006890			Bold line ball point pen refill, green for	
Ø14 mm multifunction unit	34068544	44233302	PEN-BP204	high-speed plots on paper, Mylar foil or directly onto dieboard	
Ball point pen tool	34063750				

#### 15 mm crease wheels




15 mm crease wheels provide excellent performance when creasing thin materials such as folding carton and paper.



folded carton package



paper tent sign




XL XN V XP C X XE	Tool insert	Adapter	Wheel part no.	Wheel name	Description	Picture
	HDU Power Head	34012880	24000540	Crease wheel Ø15	Crosso Wheel 15mm die 1 naint	
	Crease tool XE	34050377	34089540	1 Point	Crease Wheel - 15mm dia - 1-point	
	Crease tool 15mm	n/a				
	HDU	34012880				
	Power Head	34012880	24057500	Crease wheel Ø15	Crease Wheel - 15mm dia - 1.5-point	
	Crease tool XE	34050377	34057588	1.5 Point	Crease Wheel - 13mm dia - 1.5-point	
	Crease tool 15mm	n/a				
	HDU Power Head	34012880		Crease		
	Crease tool XE	34050377	32533291	wheel Ø15 2 Point	Crease Wheel - 15mm dia - 2-point	- Color
	Crease tool 15mm	n/a				
	HDU Power Head	34012880	34030858	Crease wheel Ø15	Crease Wheel - 15mm dia - 3-point	
	Crease tool XE	34050377	34030838	3 Point	Crease Writeer - 13mm dia - 3-point	
	Crease tool 15mm	n/a				
	HDU	34012880		Crease wheel Ø15 4 Point		
	Power Head	34012000	34030908		Crease Wheel - 15mm dia - 4-point	
	Crease tool XE	34050377	34030908		e. case viriee. Tsiiiii ala T point	
	Crease tool 15mm	n/a				
	HDU Power Head	34012880	20525000	Crease wheel Ø15 1 mm spacing	Crease Wheel - 15mm dia double edge – 1mm spacing	
	Crease tool XE	34050377	32535999			
	Crease tool 15mm	n/a				
	HDU Power Head	34012880	32555021	Crease wheel Ø15	Crease Wheel - 15mm dia double edge –	-11-
	Crease tool XE	34050377	32333021	1,25mm	1,25mm spacing	
	Crease tool 15mm	n/a		spacing		
	HDU	34012880		Crease		
	Power Head	34012000	32551301	wheel Ø15	Crease Wheel - 15mm dia double edge -	
	Crease tool XE	34050377	32331301	1,4mm spacing	1,4mm spacing	
	Crease tool 15mm	n/a		35009		
	HDU	34012880		Crease		
	Power Head	3.0.2000	32551327	wheel Ø15	Crease Wheel - 15mm dia double edge -	
	Crease tool XE	34050377		1,8mm spacing	1,8mm spacing	
	Crease tool 15mm	n/a				
	HDU Power Head	34012880	32555005	Crease wheel Ø15	Crease Wheel - 15mm dia double edge –	
	Crease tool XE	34050377	32333003	2,2mm spacing	2,2mm spacing	
	Crease tool 15mm	n/a		spacing		

#### 26 mm crease wheels



26 mm crease wheels provide excellent performance when creasing thick carton and thin corrugated boards.



XL XN V XP C X	XE Tool insert	Adapter	Wheel part no.	Wheel name	Description	Picture
	HDU Power Head	34012906	22522120	Crease	Cross Wheel 20mm dia 1 paint	
	Crease tool XE	34050385	32532129	wheel Ø26 1 Point	Crease Wheel - 26mm dia - 1-point	
	Crease tool 26mm	n/a				
	HDU	34012906				II .
	Power Head	34012900	22524027	Crease wheel Ø26	Crassa Whaal 26mm dia 2 paint	
	Crease tool XE	34050385	32524837	2 Point	Crease Wheel - 26mm dia - 2-point	
	Crease tool 26mm	n/a				
	HDU	34012906				11
	Power Head	34012900	32529075	Crease wheel Ø26	Crassa Whaal 26mm dia 2 paint	
	Crease tool XE	34050385	32529075	3 Point	Crease Wheel - 26mm dia - 3-point	
	Crease tool 26mm	n/a				
	HDU Power Head	34012906		Crease		
	Crease tool XE	34050385	32536542	wheel Ø26 4 Point	Crease Wheel - 23mm dia - 4-point	
	Crease tool 26mm	n/a				
	HDU			Crease wheel Ø26 4 Point	Crease Wheel - 26mm dia - 6-point	1
	Power Head	34012906				
	Crease tool XE	34050385	32522880			
	Crease tool 26mm	n/a				U
	HDU	24012006			Crease Wheel - 26mm dia – 8-point	
	Power Head	34012906	32529240	Crease		
	Crease tool XE	34050385		wheel Ø26 8 Point		
	Crease tool 26mm	n/a				
	HDU Power Head	34012906		Crease		
	Crease tool XE	34050385	32529091	wheel Ø26 10 Point	Crease Wheel - 26mm dia – 10-point	
	Crease tool 26mm	n/a				U
	HDU	24042006				
	Power Head	34012906		Crease		
	Crease tool XE	34050385	32529117	wheel Ø15 12 Point	Crease Wheel - 26mm dia – 12-point	
	Crease tool 26mm	n/a				
	HDU Power Head	34012906		Crease		
	Crease tool XE	34050385	32547051	wheel Ø15	Crease Wheel - 26mm dia – 14-point	
	Crease tool 26mm	n/a		14 Point		
	Crease (00) Z011IM	II/d				


XP C	XL XN V X	XE	Tool insert	Adapter	Wheel part no.	Wheel name	Description	Picture	
			HDU	34012906		Crease		1	
			Power Head	34012300	32546640	wheel Ø26	Crease Wheel - 26mm dia double edge –		
			Crease tool XE	34050385	32340040	0,6mm spacing	0,6mm spacing		
			Crease tool 26mm	n/a				II .	
			HDU	34012906	32537706	Crease wheel Ø26 Triple wall	Crease Wheel - 26mm triple wall		
			Power Head						
			Crease tool XE	34050385	32337700				
			Crease tool 26mm	n/a				U	
			HDU	34012906					
			Power Head			Crease			
			Crease tool XE	34050385	32524811	wheel Ø26 Crush	Crease Wheel - 26mm crush R=15		
			Crease tool 26mm	n/a					



#### 60 mm crease wheels



The 60 mm crease tool for corrugated board offers improved crease quality over smaller wheel diameters. The increased frontal area (see sketch) allows going deeper into the board without cracking the liner, which is especially important for material with high recycle content.





The tool comes with three different crease wheels; a 4-point wheel suitable for E- and other microflutes, a 6-point wheel suitable for B- and C-flute, and a U-shaped wheel for double wall corrugated.

Due to the large diameter the wheel must be attached to the tool after it has been mounted in the toolhead. The wheel easily snaps in place without any auxiliary tool requirements.



corrugated shipping packages



corrugated produce containers

	Χ							
	XN			Perf wheel	Wheel			
XP	XL	Tool insert / holder	Adapter	holder	part no.	Wheel name	Description	Picture
С	V	1001 IIISel (7 Holdel	Adaptei	Holder	ратепо.	villeerriairie	Description	ricture

#### 60 mm crease wheels

All tool head insert positions	Crease tool Ø60 34095505			Crease	Crease wheel - 60mm dia - 6-point	
Power Head HD position	60mm Crease wheel holder	N/A	34095430	wheel Ø60 6 pont		
HDU	34107763					
All tool head insert positions	Crease tool Ø60 34095505			Crease		
Power Head HD position	60mm Crease wheel holder 34107763	N/A	34095513	34095513 wheel Ø60 4 pont	Crease wheel - 60mm dia - 4-point	
HDU	34107763					
All tool head insert positions	Crease tool Ø60 34095505			Crease		II.
Power Head HD position	60mm Crease wheel holder	N/A	34095539	wheel Ø60 U shape	Crease wheel - 60mm dia - U shape	
HDU	34107763					_

#### 60 mm perforation tools

60 mm perioration tools								
All tool hea	Crasca tool (860 3/1095505							
Power Head position		N/A	42461202	Perforation wheel holder	Special wheel holder for fixing the			
HDU	60mm Crease wheel holder 34107763			wheel Holder	perforation wheels			
All tool hea	Crease tool (760 34095505					wee.		
Power Head position		42461202	42461210	Perforation wheel 3 x 3	Makes perforation lines with 3mm cut	<b>*</b> *		
HDU	60mm Crease wheel holder 34107763			mm	and 3mm space	3mm		
All tool hea	Crassa tool (760 3/1095505			Perforation wheel 5 x 5 mm	Makes perforation lines with 5mm cut and 5mm space	مالاد		
Power Head position		42461202	42461228			1 F		
HDU	60mm Crease wheel holder 34107763					3		
All tool hea insert position	Crease tool (860 3/1095505				Makes perforation lines with 7mm cut and 5mm space	معقور		
Power Head position		42461202	42461236	Perforation wheel 5 x 7		1 1		
HDU	60mm Crease wheel holder 34107763			mm		1000		
All tool hea	Crease tool (760 34095505			Perforation	Makes perforation lines with 10mm cut and 10mm space			
Power Head position	HD 60mm Crease wheel holder 34107763	42461202	42461244	wheel 10 x 10 mm				
HDU	34107703							

#### 150 mm crease wheels and crease blades



150 mm crease wheels provide excellent performance when creasing thick corrugated boards, including double and triple wall corrugated.

The big crease wheel positions on the XN/XL/X/C (PowerHead) and XP (HDU) has the equivalent of 50 kg [110 lb.] of down-pressure, which is 2% times more than the down-pressure of the conventional tool stations. The additional pressure, combined with the large frontal area of the big wheel enables excellent crease quality in heavy-duty corrugated board and even permits creasing board with high recycle content without breaking the liner.

Crease blades create superior creases in plastics where wheels are less effective.



triple wall corrugated package





XP C X XE	Tool insert	Adapter	Wheel part no.	Wheel name	Description	Picture
					150	mm crease wheels
	HDU	- 1:	24040206	Crease wheel Ø150	HDU Crease Wheel -	
	Power Head	n/a	34010306	4 Point	150mm dia - 4-point	
	HDU	n/a	34023234	Crease wheel Ø150	Crease Wheel - 150mm dia	
	Power Head	TI/a	34023234	6 Point	- 6-point	
	HDU	- /-	24060724	Crease wheel Ø150	Crease Wheel - 150mm dia	
	Power Head	n/a	34068734	6 Point 6 degrees	- 6-point 6 degrees	
	HDU	- 1-	24007006	Crease wheel Ø150	Crease Wheel - 150mm dia	
	Power Head	n/a	34007096	U shape	- U shape	
	HDU	- /-	24007006	Crease wheel Ø150	Crease Wheel - 150mm dia	
	Power Head	n/a	34007906	V shape	- V shape	
XL						
XN V XP C X XE	Tool insert	Adapter	Wheel part no.	Wheel name	Description	Picture
					Crease b	lades 47 mm length
	Static knife double edge	n/a		Crease Blade - 0.5mm	For thin, synthetic material such as polypropylene (PP) and polyethylene (PE).	
	HDU		42442764			
	Power Head	34089904				
	Static knife double edge	n/a			For thin, synthetic material such as polypropylene (PP) and polyethylene (PE).	
	HDU		42442772	Crease Blade - 1mm		
	Power Head	34089904				
					Crease b	lades 25 mm length
	Hi Force knife tool	34057356	42444711	Crease Blade - 0.5mm half length	For thin, synthetic material such as polypropylene (PP) and polyethylene (PE).	
	Hi Force knife tool	34057356	42444729	Crease Blade - 1mm half length	For thin, synthetic material such as polypropylene (PP) and polyethylene (PE).	
	RM Knife tool	n/a	42459503	Crease Blade 0,5mm for RM knife tool	For thin, synthetic material such as polypropylene (PP) and polyethylene (PE).	
	RM Knife tool	n/a	42459511	Crease Blade 1mm for RM knife tool	For thin, synthetic material such as polypropylene (PP) and polyethylene (PE).	-

# Buy your Kongsberg bits & blades orders@gmspacific.com

**Australia** 

GMS Pacific 3/352 Ferntree Gully Road, Notting Hill Melbourne 3168 Email:info@gmspacific.com Ph: +61 3 9535 9777



